

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ.ਕੁ.-1)-ਕਮ-ਕਨਵੀਨਰ, ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼, ਪੰਜਾਬ ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ: ਤੇ ਮ: ਸ਼ਾਖਾ, ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ

ਈ-ਮੇਲ: cepwdcsr@gmail.com

ਵੱਲ

		ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮਿਤੀ 23.07.2026 ਨੂੰ ਹੋਈ VC ਰਾਹੀਂ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ।	
1	ਇੰਜੀਨੀਅਰ-ਇੰਨ-ਚੀਫ਼-ਕਮ-ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਕੁਆਲਟੀ ਕੰਟਰੋਲ ਪੰਜਾਬ, ਲੋ.ਨਿ.ਵਿ., ਭ: ਤੇ ਮ: ਸ਼ਾਖਾ, ਮੋਹਾਲੀ (ਵਿਸ਼ੇਸ਼ ਮਹਿਮਾਨ)	2	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਕੈਨਾਲ), ਪੰਜਾਬ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਹਾਈਡਲ ਭਵਨ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)
3	ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਪੰਜਾਬ, ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ, ਮੋਹਾਲੀ (ਮੈਂਬਰ)	4	ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਲੋਕਲ ਬਾਡੀਜ਼, ਪੰਜਾਬ, ਪਲਾਟ ਨੰ: 3, ਸੈਕਟਰ 35-ਏ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)
5	ਇੰਜੀਨੀਅਰ-ਇੰਨ-ਚੀਫ਼, ਪੰਜਾਬ ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸਿਵਰੇਜ਼ ਬੋਰਡ, ਸੈਕਟਰ-27 ਏ ਪਲਾਟ ਨੰ: 1 ਬੀ. ਮਾਧਿਆ ਮਾਰਗ ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)	6	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਪੰਚਾਇਤੀ ਰਾਜ), ਪੰਜਾਬ ਪੇਂਡੂ ਵਿਕਾਸ ਅਤੇ ਪੰਚਾਇਤਾਂ ਵਿਭਾਗ, ਫੇਜ਼-9, ਮੋਹਾਲੀ, (ਮੈਂਬਰ)
7	ਮੁੱਖ ਆਰਕੀਟੈਕਟ, ਆਰਕੀਟੈਕਚਰ ਵਿਭਾਗ, ਐਸ.ਸੀ.ਓ ਨੰ: 149-52, ਪਹਿਲੀ ਤੇ ਚੌਥੀ ਮੰਜ਼ਿਲ, ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ, ਪੁਰਾਣੀ ਬਿਲਡਿੰਗ ਸੈਕਟਰ-17 ਸੀ, ਚੰਡੀਗੜ੍ਹ। (ਮੈਂਬਰ)	8	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਬਿਜਲੀ), ਪੰਜਾਬ, ਲੋ.ਨਿ.ਵਿ., ਭ: ਤੇ ਮ: ਸ਼ਾਖਾ, ਨਿਰਮਾਣ ਭਵਨ, ਸੈਕਟਰ-17, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)
9	ਇੰਜੀਨੀਅਰ-ਇੰਨ-ਚੀਫ਼, ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ, ਪੰਜਾਬ ਮੰਡੀ ਭਵਨ, ਸੈਕਟਰ-65 ਏ ਮੋਹਾਲੀ (ਵਿਸ਼ੇਸ਼ ਮਹਿਮਾਨ)	10	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਡਰੇਨੇਜ), ਪੰਜਾਬ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਸਿੰਚਾਈ ਭਵਨ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ (ਵਿਸ਼ੇਸ਼ ਮਹਿਮਾਨ)
11	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸਾਊਥ), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ: ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ਼ ਮਹਿਮਾਨ)	12	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਨਾਰਥ), ਪੰਜਾਬ, ਲੋ.ਨਿ.ਵਿ., ਭ: ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ਼ ਮਹਿਮਾਨ)
13	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਐਨ.ਐਚ.) ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ: ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ਼ ਮਹਿਮਾਨ)	14	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸੈਂਟਰਲ), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ: ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ਼ ਮਹਿਮਾਨ)
15	ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਵੈਸਟ), ਪੰਜਾਬ, ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ: ਤੇ ਮ., ਬਲਾਕ-ਸੀ, ਮਿੰਨੀ ਸਕੱਤਰੇਤ, ਪਟਿਆਲਾ (ਵਿਸ਼ੇਸ਼ ਮਹਿਮਾਨ)		

ਮੀਮੇ ਨੰ: 151-165 / ਸੀ.ਐਸ.ਆਰ. ਮਿਤੀ: 05.08.2026

ਵਿਸ਼ਾ:- ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮਿਤੀ 23.07.2026 ਨੂੰ ਹੋਈ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ।

ਹਵਾਲਾ: ਇਸ ਦਫ਼ਤਰ ਦਾ ਮੀਮੇ ਨੰ. 132-149 / ਸੀ.ਐਸ.ਆਰ. ਮਿਤੀ 21.07.2026 ਦੀ ਲਗਾਤਾਰਤਾ ਵਿੱਚ।

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮੀਟਿੰਗ ਮਿਤੀ 23.07.2026 (ਦਿਨ ਵੀਰਵਾਰ) ਨੂੰ ਸਵੇਰੇ 11:30 ਵਜੇ VC ਰਾਹੀਂ ਹੋਈ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ ਨੱਥੀ ਕਰਕੇ ਸੂਚਨਾ ਅਤੇ ਅਗਲੇਰੀ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜੇ ਜਾਂਦੇ ਹਨ।

ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼ ਵੱਲੋਂ ਪ੍ਰਵਾਨ ਕੀਤੀ ਗਈ ਏ. ਐੱਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 14, ਸੀ.ਐਸ.ਆਰ.-2020, ਸੀਲਿੰਗ ਪ੍ਰੀਮਿਅਮ ਅਤੇ ਅਨੈਕਚਰ ਇਸ ਪੱਤਰ ਦੇ ਜਾਰੀ ਹੋਣ ਦੀ ਮਿਤੀ ਤੋਂ ਲਾਗੂ ਹੋਵੇਗਾ। ਇਸ ਦੇ ਨਾਲ ਸਬੰਧਤ ਡਾਟਾ ਇਸ ਵਿਭਾਗ ਦੀ ਵੈਬਸਾਈਟ <https://pwd.punjab.gov.in> & <https://prbdb.punjab.gov.in> ਤੇ ਵੀ ਅਪਲੋਡ ਕਰ ਦਿੱਤਾ ਜਾਵੇਗਾ ਜੀ।

ਨੱਥੀ/ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐੱਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 14,
Annexure-A,B, B1,
C, D, E to F

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ.ਕੁ.-1) ਕਮ-ਕਨਵੀਨਰ,
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ

ਪਿੱਠ ਅੰਕਣ ਨੰ. 166 / ਸੀ.ਐਸ.ਆਰ.

ਮਿਤੀ 05.08.2026

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਪੀ.ਏ. ਟੂ ਸਕੱਤਰ, ਪੰਜਾਬ ਸਰਕਾਰ, ਲੋ:ਨਿ:ਵਿ:, ਭ. ਤੇ ਮ. ਸ਼ਾਖਾ, ਚੰਡੀਗੜ੍ਹ ਨੂੰ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਨੱਥੀ/ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐੱਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 14,
Annexure-A,B, B1,
C, D, E to F

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ(ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ.-1) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ

ਪਿੱਠ ਅੰਕਣ ਨੰ. 167 / ਸੀ.ਐਸ.ਆਰ.

ਮਿਤੀ 05.08.2026

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਪੀ.ਆਰ.ਬੀ.ਡੀ.ਬੀ., ਐਸ.ਸੀ.ਓ. 61-62, ਫੇਜ਼-2, ਮੋਹਾਲੀ ਨੂੰ ਭੇਜ ਕਿ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਮਿੰਨਟਸ ਆਫ਼ ਮੀਟਿੰਗ ਸਮੇਤ ਡਿਟੇਲਾ (A&C Slip No. 14) ਦੀ ਕਾਪੀ ਵੈਬਸਾਈਟ ਤੇ ਪਾਉਣ ਦੀ ਖੋਚਲ ਕੀਤੀ ਜਾਵੇ।

ਨੱਥੀ/ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐੱਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 14,
Annexure-A,B, B1,
C, D, E to F

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ (ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ.-1) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ. ਤੇ ਮ., ਪਟਿਆਲਾ

ਪਿੱਠ ਅੰਕਣ ਨੰ. 168 / ਸੀ.ਐਸ.ਆਰ.

ਮਿਤੀ 05.08.2026

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਪੀ.ਏ. ਟੂ ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ.-1/2), ਲੋ:ਨਿ:ਵਿ:, ਭ. ਤੇ ਮ. ਸ਼ਾਖਾ ਪਟਿਆਲਾ ਨੂੰ ਮੁੱਖ ਇੰਜੀਨੀਅਰ ਸਾਹਿਬ ਜੀ ਦੀ ਜਾਣਕਾਰੀ ਲਈ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਨੱਥੀ/ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐੱਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 14,
Annexure-A,B, B1,
C, D, E to F

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ (ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ.-1) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ. ਤੇ ਮ., ਪਟਿਆਲਾ

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ (HRD), ਮੁੱਖ ਦਫ਼ਤਰ, ਲੇ.ਨਿ.ਵਿ., ਭ. ਤੇ ਮ. ਸ਼ਾਖਾ, ਪਟਿਆਲਾ ਜੀ ਨੂੰ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ।

ਨੱਥੀ/ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ,
ਏ. ਐਂਡ ਸੀ. ਸਲਿੱਪ ਨੰ: 14,
Annexure-A,B, B1,
C, D, E to F



ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ (ਸੀ.ਐਸ.ਆਰ.)
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ-1) ਕਮ-ਕਨਵੀਨਰ
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੇ:ਨਿ:ਵਿ., ਭ. ਤੇ ਮ., ਪਟਿਆਲਾ

Annexure-A

Sr. No.	Name of Officer	Department & Designation
1.	Er. Anil Gupta	Chief Engineer (West / H.Q-1), Punjab PWD (B&R), Department
2.	Er. J.J.Goyal	Chief Engineer (Central), Punjab Water Supply & Sanitation Department
3.	Ar. Tarun Garg	Chief Architect, Dept. of Architecture
4.	Er. Vikas Gupta	Chief Engineer (Electrical), Punjab PWD (B&R) Department
5.	Er. K.S. Chahal	Chief Engineer, Punjab Panchyati Raj Department
6.	Er. Ashwani Choudary	Chief Engineer, Punjab Local Govt. Department
7.	Er. Pankaj Jain	Director , Planning & Design , Punjab Water Supply & Sewerage Board
8.	Er. Randhir Singh	Superintending Engineer (HRD) , Punjab PWD (B&R) Department
9.	Er. Reet Jashan Singh Sidhu	Executive Engineer (CSR) , Punjab PWD (B&R), Department
10.	Er. Ravinderpal Singh	Executive Engineer (T&C), Punjab Water Resources Department.

ਸ਼ਾ:- ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮਿਤੀ 23.07.2026 ਨੂੰ ਹੋਈ ਮੀਟਿੰਗ ਦੇ ਮਿੰਨਟਸ।

ਜਲ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ ਅਤੇ ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਵੱਲੋਂ ਸੀ.ਐਸ.ਆਰ-2020 ਦੇ ਚੈਪਟਰ 25 ਅਤੇ 28 ਦੀਆਂ ਕੁੱਝ ਆਈਟਮਾਂ ਉੱਤੇ ਸੀਲਿੰਗ ਪ੍ਰੀਮਿਅਮ ਲਗਾਉਣ ਜਾਂ ਆਈਟਮਾਂ ਨੂੰ ਸੋਧ ਕਰਨ ਲਈ ਪ੍ਰਾਪਤ ਹੋਏ ਪੱਤਰਾਂ ਦੇ ਆਧਾਰ ਤੇ ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈੱਡ ਕੁਆਰਟਰ-1), ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ, ਭ. ਤੇ ਮ. ਸ਼ਾਖਾ, ਪਟਿਆਲਾ ਜੀ ਦੇ ਦਫ਼ਤਰ ਦੇ ਮੀਮੋ ਨੰ. 132-149 / ਸੀ.ਐਸ.ਆਰ. ਮਿਤੀ 21.07.2026 ਰਾਹੀਂ ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼ ਦੀ ਮੀਟਿੰਗ ਮਿਤੀ 23.07.2026 ਨੂੰ ਨਿਰਧਾਰਿਤ ਕੀਤੀ ਗਈ ਸੀ। ਇਸ ਮੀਟਿੰਗ ਵਿੱਚ ਨੱਥੀ (Annexure-A) ਵਿੱਚ ਦਰਸਾਏ ਅਨੁਸਾਰ ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼ ਦੇ ਮੈਂਬਰਜ਼ ਅਤੇ ਸਬੰਧਤ ਵਿਭਾਗਾਂ ਦੇ ਨੁਮਾਇੰਦਿਆਂ/ਅਧਿਕਾਰੀ ਸਾਹਿਬਾਨਾਂ ਵੱਲੋਂ ਮੀਟਿੰਗ VC ਲਿੰਕ ਰਾਹੀਂ ਅਟੈਂਡ ਕੀਤੀ ਗਈ।

ਸਭ ਤੋਂ ਪਹਿਲਾਂ ਕਨਵੀਨਰ ਸਾਹਿਬ ਜੀ ਵੱਲੋਂ ਸਾਰੇ ਮੈਂਬਰਾਂ ਅਤੇ ਅਧਿਕਾਰੀਆਂ ਨੂੰ ਜੀ ਆਇਆਂ ਆਖਿਆ ਗਿਆ ਅਤੇ ਮੀਟਿੰਗ ਦੇ ਏਜੰਡਿਆਂ ਨੂੰ ਕਮੇਟੀ ਦੇ ਸਨਮੁੱਖ ਹੋਣ ਲਿਖੇ ਅਨੁਸਾਰ ਵਿਚਾਰ ਵਿਟਾਂਦਰੇ ਲਈ ਪੇਸ਼ ਕੀਤਾ ਗਿਆ:-

ਏਜੰਡਾ ਆਈਟਮ ਨੰ. 1 :- Review of CSR and revision of Ceiling Premium of items related to DI, AC, HDPE, Quick Coupling, CPVC, uPVC, PLP etc. of CSR Chapter No. 28 as per Latest Market Rates.

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸੈਂਟਰਲ), ਜਲ ਸਪਲਾਈ ਐਂਡ ਸੈਨੀਟੇਸ਼ਨ ਪੰਜਾਬ, ਪਟਿਆਲਾ ਵੱਲੋਂ ਮੀਮੋ ਨੰ. ਜਸਸ/2/ਸ-2/2036/3556 ਮਿਤੀ 15.07.2026 ਰਾਹੀਂ (Annexure-C) ਮਾਰਕੀਟ ਦੇ ਮੌਜੂਦਾ ਰੇਟਾਂ ਅਨੁਸਾਰ chapter No. 28 ਦੀਆਂ ਪਲਾਸਟਿਕ ਪਾਈਪਾਂ ਦੀਆਂ ਆਈਟਮਾਂ ਵਿੱਚ ਸੀਲਿੰਗ ਪ੍ਰੀਮਿਅਮ ਨੂੰ ਸੋਧ ਕਰਨ ਸਬੰਧੀ ਭੇਜੀ ਤਜਵੀਜ਼ ਡਿਸਕਸ ਕੀਤੀ ਗਈ। ਮੀਟਿੰਗ ਵਿੱਚ ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸੈਂਟਰਲ), ਜਲ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ ਵੱਲੋਂ ਦੱਸਿਆ ਗਿਆ ਕਿ ਲੇਬਰ ਦੇ ਰੇਟ ਵੱਧਣ ਕਾਰਨ ਅਤੇ ਮੁੜ ਤੋਂ ਅਮਰੀਕਾ-ਇਰਾਨ ਯੁੱਧ ਸ਼ੁਰੂ ਹੋਣ ਕਾਰਣ ਮਾਰਕੀਟ ਵਿੱਚ ਪਾਈਪਾਂ ਦੇ ਰੇਟ ਵਧਣ ਕਾਰਨ ਲਗਾਏ ਹੋਏ ਟੈਂਡਰਾਂ ਵਿੱਚ ਠੇਕੇਦਾਰਾਂ ਵੱਲੋਂ ਬਿੱਡ ਪਾਉਣ ਤੋਂ ਗੁਰੇਜ਼ ਕੀਤਾ ਜਾ ਰਿਹਾ ਹੈ। ਮੁੱਖ ਇੰਜੀਨੀਅਰ ਜਲ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ ਜੀ ਵੱਲੋਂ ਦੱਸਿਆ ਗਿਆ ਕਿ CSR Items No. 28.11, 28.12(A), 28.13(A), 28.14, 28.15, 28.16, 28.17, 28.19, 28.20, 28.26, 28.27, 28.37, 28.38, 28.39 (A), 28.39 (B), 28.42, 28.92, 28.93, 28.95(A), 28.95 (B), 28.102, 28.103 ਦੇ ਲੇਬਰ ਰੇਟਾਂ ਅਤੇ ਕੁੱਲ ਰੇਟਾਂ ਵਿੱਚ ਮੌਜੂਦਾ ਪ੍ਰੀਮਿਅਮ ਵਿੱਚ ਸੋਧ ਕਰਨ ਦੀ ਜ਼ਰੂਰਤ ਹੈ। ਇਥੇ ਹਾਜ਼ਰ ਨੁਮਾਇੰਦਿਆਂ ਵੱਲੋਂ ਕਮੇਟੀ ਦੇ ਧਿਆਨ ਵਿੱਚ ਲਿਆਂਦਾ ਗਿਆ ਕਿ ਮਹੀਨਾ ਅਪ੍ਰੈਲ 2026 ਵਿੱਚ ਹੀ ਜਲ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ ਵੱਲੋਂ ਉਸ ਸਮੇਂ ਪ੍ਰਾਪਤ ਹੋਏ ਪੱਤਰ ਅਨੁਸਾਰ ਇਸ ਚੈਪਟਰ ਦੇ ਆਈਟਮ ਨੰਬਰ 28.11, 28.12, 28.13 ਦੇ ਪ੍ਰੀਮਿਅਮ/ ਨਾਮਕਰਨ ਵਿਚ ਸੋਧ ਕੀਤੀ ਗਈ ਸੀ ਅਤੇ ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਵੱਲੋਂ ਉਸ ਸਮੇਂ ਪ੍ਰਾਪਤ ਹੋਏ ਪੱਤਰ ਅਨੁਸਾਰ ਆਈਟਮਾਂ 28.12 (B), 28.13 (B) ਨਵੀਆਂ ਵੀ ਸ਼ਾਮਲ ਕੀਤੀਆਂ ਗਈਆਂ ਸਨ।

ਉਸ ਉਪਰੰਤ ਮੀਟਿੰਗ ਵਿੱਚ ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਦੇ ਨੁਮਾਇੰਦਿਆਂ ਵੱਲੋਂ ਦੱਸਿਆ ਗਿਆ ਕਿ ਉਹਨਾਂ ਦਾ ਵਿਭਾਗ uPVC pipes ਨੂੰ Controller of Stores, Punjab ਤੋਂ Procure ਕਰਦਾ ਹੈ, ਜਿਸ ਦਾ ਰੇਟਾਂ ਦਾ ਠੇਕਾ 17.02.2026 ਨੂੰ ਕੀਤਾ ਗਿਆ ਸੀ। ਜਲ ਸਪਲਾਈ ਵਿਭਾਗ ਵੱਲੋਂ uPVC ਦੇ ਤਜਵੀਜ਼ ਕੀਤੇ ਰੇਟਾਂ ਨਾਲ ਤੁਲਨਾ ਕਰਨ ਤੇ ਇਹ ਪਤਾ ਲੱਗਦਾ ਹੈ ਕਿ Controller of Stores Punjab ਨਾਲ ਹੋਏ ਠੇਕੇ ਦੇ ਰੇਟ ਘੱਟ ਹਨ।

ਇਸ ਸਬੰਧੀ ਮੀਟਿੰਗ ਵਿੱਚ ਜਲ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ ਵੱਲੋਂ ਦੱਸਿਆ ਗਿਆ ਕਿ ਉਹਨਾਂ ਦੇ ਵਿਭਾਗ ਦੇ ਟੈਂਡਰਾਂ ਵਿੱਚ Through rates ਤੇ ਟੈਂਡਰਿੰਗ ਕੀਤੀ ਜਾਂਦੀ ਹੈ, ਜਿਸ ਵਿੱਚ Material ਅਤੇ Labour ਦੇ ਰੇਟ ਵੀ ਸ਼ਾਮਲ ਹੁੰਦੇ ਹਨ, ਜਦਕਿ ਕੰਟਰੋਲਰ ਆਫ਼ ਸਟੋਰਜ਼ ਦੇ ਰੇਟ ਇੱਕ Specific bulk volume ਦੇ ਆਧਾਰ ਤੇ Material rates ਨਿਯਤ ਕੀਤੇ ਗਏ ਹੁੰਦੇ ਹਨ, ਇਸ ਲਈ ਇਨ੍ਹਾਂ ਰੇਟਾਂ ਨੂੰ ਆਧਾਰ ਮੰਨਣਾ ਉਚਿਤ ਨਹੀਂ ਹੈ, ਕਿਉਂ ਜੋ ਮਾਰਕੀਟ ਦੇ ਵਿੱਚ ਰੇਟਾਂ ਦੀ ਕਾਫ਼ੀ Fluctuation ਹੋ ਰਹੀ ਹੈ। ਉਸ ਉਪਰੰਤ ਮੀਟਿੰਗ ਵਿੱਚ ਇਹ ਵੀ ਵਿਚਾਰ ਕੀਤਾ

ਗਿਆ ਕਿ ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਵੱਲੋਂ ਕੰਟਰੋਲਰ ਆਫ ਸਟੋਰਜ਼, ਪੰਜਾਬ ਨਾਲ ਰੇਟਾਂ ਦਾ ਠੇਕਾ ਫਰਵਰੀ 2026 ਵਿੱਚ ਕੀਤਾ ਗਿਆ ਸੀ ਜਦਕਿ ਅਮਰੀਕਾ-ਈਰਾਨ ਯੁੱਧ ਕਰਕੇ UPVC ਪਾਈਪਾਂ ਦੇ ਰੇਟਾਂ ਵਿੱਚ ਵਾਧਾ ਮਾਰਚ 2026 ਤੋਂ ਬਾਅਦ ਆਇਆ ਹੈ। ਇਸ ਲਈ ਕਮੇਟੀ ਵੱਲੋਂ ਸਰਬ-ਸੰਮਤੀ ਨਾਲ ਵਾਟਰ ਸਪਲਾਈ ਐਂਡ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ ਵੱਲੋਂ ਭੇਜੀ ਗਈ ਤਜਵੀਜ਼ ਨੂੰ ਮਿਤੀ 30.11.2026 ਤੱਕ ਪ੍ਰਵਾਨ ਕੀਤਾ ਗਿਆ ਅਤੇ ਫ਼ੈਸਲਾ ਕੀਤਾ ਗਿਆ ਕਿ ਇਸ ਮਿਤੀ ਤੋਂ ਬਾਅਦ ਇਹਨਾਂ ਰੇਟਾਂ ਨੂੰ ਰੀਵਾਇਜ਼ ਕਰਨ ਸਬੰਧੀ ਏਜੰਡਾ ਮੁੜ ਤੋਂ ਕਮੇਟੀ ਦੇ ਵਿਚਾਰਨ ਹਿੱਤ ਪੇਸ਼ ਕੀਤਾ ਜਾਵੇਗਾ।

ਸਬੰਧਤ ਵਿਭਾਗ ਵੱਲੋਂ ਭੇਜੀ ਤਜਵੀਜ਼ ਨੂੰ ਕਮੇਟੀ ਵੱਲੋਂ ਪ੍ਰਵਾਨ ਕਰਦੇ ਹੋਏ ਚੈਪਟਰ-28 ਦੇ ਲੇਬਰ ਅਤੇ ਕੁੱਲਰੇਟਾਂ ਵਿੱਚ ਸੇਧ ਨੂੰ ਨੱਥੀ **A&C Slip No. 14 (Annexure-B)** ਰਾਹੀਂ ਜਾਰੀ ਕੀਤੀ ਜਾ ਰਹੀ ਹੈ।

ਏਜੰਡਾ ਆਈਟਮ ਨੰ. 2 :-Regarding Differentiating the canal cleaning items for brick and concrete lining (Chapter 25 of CSR)

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਨਹਿਰਾਂ), ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ, ਚੰਡੀਗੜ੍ਹ ਵੱਲੋਂ ਮੀਮੇ ਨੰ. 5657/ 4 ਟੈਂਡਰਿੰਗ /1018249 ਮਿਤੀ 07.07.2026 ਰਾਹੀਂ ਇਸ ਏਜੰਡਾ ਬਾਰੇ (**Annexure-D**) ਤਜਵੀਜ਼ ਭੇਜੀ ਗਈ ਸੀ। ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਦੇ ਮੀਟਿੰਗ ਵਿੱਚ ਮੌਜੂਦ ਅਧਿਕਾਰੀਆਂ ਵੱਲੋਂ ਦੱਸਿਆ ਗਿਆ ਕਿ ਸੀ.ਐਸ.ਆਰ. ਸੈੱਲ ਵੱਲੋਂ ਮੀਮੇ ਨੰ. 334/ਸੀ.ਐਸ.ਆਰ. ਮਿਤੀ 10.12.2025 ਰਾਹੀਂ ਜਾਰੀ ਕੀਤੀ ਗਈ A&C slip no. 12 ਵਿੱਚ ਚੈਪਟਰ ਨੰ. 25 ਦੀ ਆਈਟਮ ਨੰ. 25.2 ਵਿੱਚ ਸੇਧ ਕੀਤੀ ਗਈ ਸੀ, ਪ੍ਰੰਤੂ ਉਹਨਾਂ ਵੱਲੋਂ ਇਸ ਆਈਟਮ ਦੇ ਨੋਟ ਨੰ. 5 ਦੀ clerical mistake ਰਹਿ ਜਾਣ ਕਾਰਨ ਸਬੰਧਤ ਵਿਭਾਗ ਵੱਲੋਂ ਹੁਣ ਮੀਟਿੰਗ ਵਿੱਚ ਆਈਟਮ ਨੰ. 25.2 (B) ਦੇ ਨੋਟ ਨੰ. 5 ਨੂੰ ਸੇਧ ਕਰਨ ਦੀ ਤਜਵੀਜ਼ ਪੇਸ਼ ਕੀਤੀ ਗਈ।

ਸਬੰਧਤ ਵਿਭਾਗ ਵੱਲੋਂ ਭੇਜੀ ਤਜਵੀਜ਼ ਨੂੰ ਕਮੇਟੀ ਵੱਲੋਂ ਪ੍ਰਵਾਨ ਕਰਦੇ ਹੋਏ ਆਈਟਮ ਨੰ. 25.2 (B) ਦੇ ਨੋਟ ਨੰ. 5 ਵਿੱਚ ਸੇਧ ਕਰਨ ਦੀ ਸਹਿਮਤੀ ਪ੍ਰਗਟ ਕੀਤੀ ਗਈ ਜੋ ਕਿ ਨੱਥੀ **A&C Slip No. 14 (Annexure-B)** ਰਾਹੀਂ ਜਾਰੀ ਕੀਤੀ ਜਾ ਰਹੀ ਹੈ।

ਏਜੰਡਾ ਆਈਟਮ ਨੰ. 3:-ਸੀ.ਐਸ.ਆਰ. ਦੀ ਆਈਟਮ ਨੰ. 6.4 (B) ਵਿੱਚ ਸੇਧ ਕਰਨ ਸਬੰਧੀ।

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਨਹਿਰਾਂ), ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ, ਚੰਡੀਗੜ੍ਹ ਵੱਲੋਂ ਮੀਮੇ ਨੰ. 3998/ ਟੈਂਡਰਿੰਗ / 659037 ਮਿਤੀ 07.05.2026 ਰਾਹੀਂ (**Annexure-E**) ਸੀ.ਐਸ.ਆਰ. ਦੀ ਆਈਟਮ ਨੰ. 6.4 (B) ਨੂੰ ਸੇਧ ਕਰਨ ਦੀ ਤਜਵੀਜ਼ ਪੇਸ਼ ਕੀਤੀ ਗਈ ਹੈ। ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਦੇ ਹਾਜ਼ਰ ਨੁਮਾਇੰਦਿਆਂ ਵੱਲੋਂ ਪੰਜਾਬ ਸਰਕਾਰ ਦੀ ਮਿਤੀ 11.09.2025 ਦੀ ਅਧਿਸੂਚਨਾ ਦਾ ਵਿਸਥਾਰ-ਪੂਰਵਕ ਵੇਰਵਾ ਦਿੰਦੇ ਹੋਏ Punjab State Minerals Exploration Trust ਸਥਾਪਿਤ ਹੋਣ ਬਾਰੇ ਜ਼ਿਕਰ ਕੀਤਾ ਗਿਆ, ਜਿਸ ਅਨੁਸਾਰ Trust ਵਿੱਚ Contribution ਦੀ ਵਾਧੂ ਫੀਸ @2% of Royalty (ਭਾਵ 0.04/- ਰੁ: ਪ੍ਰਤੀ ਵਰਗ ਫੁੱਟ) ਦੀ ਦਰ ਅਨੁਸਾਰ ਲਾਗੂ ਹੋਣ ਬਾਰੇ ਦੱਸਿਆ ਗਿਆ।

ਸਬੰਧਤ ਵਿਭਾਗ ਵੱਲੋਂ ਭੇਜੀ ਤਜਵੀਜ਼ ਨੂੰ ਕਮੇਟੀ ਵੱਲੋਂ ਪ੍ਰਵਾਨ ਕਰਦੇ ਹੋਏ ਆਈਟਮ ਨੰ. 6.4 (B) ਵਿੱਚ ਸੇਧ ਕਰਨ ਦੀ ਸਹਿਮਤੀ ਪ੍ਰਗਟ ਕੀਤੀ ਗਈ ਜੋ ਕਿ **A&C slip No. 14 (Annexure-B & Annexure-B1)** ਰਾਹੀਂ ਜਾਰੀ ਕੀਤੀ ਜਾ ਰਹੀ ਹੈ।

ਏਜੰਡਾ ਆਈਟਮ ਨੰ. 4:- ਸੀ.ਐਸ.ਆਰ. ਦੀ ਆਈਟਮ 28.13 (B) ਦੇ Nomenclature ਵਿੱਚ ਸੇਧ ਸਬੰਧੀ।

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਨਹਿਰਾਂ), ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ, ਚੰਡੀਗੜ੍ਹ ਵੱਲੋਂ ਮੀਮੇ ਨੰ. 5679/ 4 ਟੈਂਡਰਿੰਗ / 1020110 ਮਿਤੀ 09.07.2026 ਰਾਹੀਂ ਤਜਵੀਜ਼ (**Annexure-F**) ਪ੍ਰਾਪਤ ਹੋਈ ਹੈ, ਜਿਸ ਵਿੱਚ ਉਨ੍ਹਾਂ ਵੱਲੋਂ ਇਸ item ਦੇ Nomenclature ਵਿੱਚ ਸੇਧ ਕਰਨ ਦੀ ਤਜਵੀਜ਼ ਕੀਤੀ ਗਈ ਹੈ। ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਦੇ ਹਾਜ਼ਰ ਨੁਮਾਇੰਦਿਆਂ ਵੱਲੋਂ ਮੀਟਿੰਗ ਵਿੱਚ ਦੱਸਿਆ ਗਿਆ ਕਿ 28.13 (B) ਦੇ AOR ਨੂੰ ਘੋਖਣ ਤੇ ਪਾਇਆ ਗਿਆ ਕਿ ਇਸ ਆਈਟਮ ਦੇ AOR ਵਿੱਚ Specials ਨੂੰ ਸ਼ਾਮਿਲ ਨਹੀਂ ਕੀਤਾ ਗਿਆ ਸੀ ਜਦੋਂ ਕਿ A&C Slip No. 13 ਵਿੱਚ ਇਸ ਆਈਟਮ ਦੇ Nomenclature ਵਿੱਚ Specials ਨੂੰ ਦਰਜ ਕੀਤਾ ਗਿਆ ਸੀ।

ਇਸ ਤੋਂ ਇਲਾਵਾ ਮੀਟਿੰਗ ਵਿੱਚ ਹਾਜ਼ਰ ਮੈਂਬਰਾਂ ਵੱਲੋਂ ਕਮੇਟੀ ਦੇ ਧਿਆਨ ਵਿੱਚ ਲਿਆਂਦਾ ਗਿਆ ਕਿ ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਵੱਲੋਂ ਏਜੰਡਾ ਨੰ. 4 ਵਿੱਚ item 28.13 (B) ਦੇ Nomenclature ਵਿੱਚ ਸੋਧ ਕਰਨ ਲਈ ਜੋ ਤਜਵੀਜ਼ ਭੇਜੀ ਗਈ ਹੈ, ਉਸਦਾ Nomenclature ਸਹੀ ਨਹੀਂ ਹੈ, ਇਸ ਲਈ ਇਸ ਨੂੰ ਠੀਕ ਕਰਵਾ ਕੇ ਦੁਬਾਰਾ ਭਿਜਵਾਇਆ ਜਾਵੇ ਅਤੇ ਜੇਕਰ ਸੋਧ ਕਰਕੇ Item Nomenclature ਨੂੰ ਮੁੜ ਤੋਂ ਭੇਜ ਦਿੱਤਾ ਜਾਂਦਾ ਹੈ ਤਾਂ ਉਹ ਕਮੇਟੀ ਨੂੰ ਪ੍ਰਵਾਨ ਹੈ। ਜਿਸ ਉਪਰੰਤ ਜਲ ਸਰੋਤ ਵਿਭਾਗ ਵੱਲੋਂ ਕਮੇਟੀ ਦੀ ਇੱਛਾ ਅਨੁਸਾਰ ਉਹਨਾਂ ਦੇ ਮੀਮੇ ਨੰ. 6020/ਟੈਂਡਰਿੰਗ /1020110 ਮਿਤੀ 29.07.2026 ਰਾਹੀਂ item 28.13 (B) ਦੇ Nomenclature ਵਿੱਚ ਮੁੜ ਸੋਧ ਕਰਕੇ ਭੇਜ ਦਿੱਤੀ ਗਈ ਹੈ।

ਸਬੰਧਤ ਵਿਭਾਗ ਵੱਲੋਂ ਭੇਜੀ ਗਈ ਸੋਧੀ ਹੋਈ ਤਜਵੀਜ਼ ਨੂੰ ਮੁੱਖ ਰੱਖਦਿਆਂ A&C slip No. 14 (Annexure-B) ਵਿੱਚ ਸ਼ਾਮਲ ਕਰਕੇ ਜਾਰੀ ਕੀਤੀ ਜਾ ਰਹੀ ਹੈ।

ਅੰਤ ਵਿਚ ਮੀਟਿੰਗ ਪੰਨਵਾਦ ਸਹਿਤ ਸਮਾਪਤ ਕੀਤੀ ਗਈ।

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ.ਕੁ.-1)-ਕਮ-ਕਨਵੀਨਰ,
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ਼ ਚੀਫ਼ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੇ:ਨਿ:ਵਿ:, ਭ. ਤੇ ਮ., ਪਟਿਆਲਾ

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਕੈਨਾਲ),
ਪੰਜਾਬ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਹਾਈਡਲ ਭਵਨ,
ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)

ਮੁੱਖ ਇੰਜੀਨੀਅਰ,
ਪੰਜਾਬ, ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ,
ਪਟਿਆਲਾ/ਮੋਹਾਲੀ (ਮੈਂਬਰ)

ਮੁੱਖ ਇੰਜੀਨੀਅਰ,
ਲੇਕਲ ਗੌਰਮੈਂਟ, ਪੰਜਾਬ, ਪਲਾਟ ਨੰ:3,
ਸੈਕਟਰ 35-ਏ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)

ਇੰਜੀਨੀਅਰ-ਇਨ-ਚੀਫ਼,
ਪੰਜਾਬ ਵਾਟਰ ਸਪਲਾਈ ਅਤੇ ਸੀਵਰੇਜ ਬੋਰਡ,
ਸੈਕਟਰ-27 ਏ ਪਲਾਟ ਨੰ: 1ਬੀ,
ਮਾਧਿਆ ਮਾਰਗ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)

ਮੁੱਖ ਇੰਜੀਨੀਅਰ(ਪੰਚਾਇਤੀ ਰਾਜ),
ਪੰਜਾਬ ਪੇਂਡੂ ਵਿਕਾਸ ਅਤੇ ਪੰਚਾਇਤਾਂ ਵਿਭਾਗ,
ਫੇਜ਼-9, ਮੋਹਾਲੀ, (ਮੈਂਬਰ)

ਮੁੱਖ ਆਰਕੀਟੈਕਟ,
ਆਰਕੀਟੈਕਚਰ ਵਿਭਾਗ, ਐਸ.ਸੀ.ਓ ਨੰ:149-52,
ਪਹਿਲੀ ਤੇ ਚੌਥੀ ਮੰਜ਼ਿਲ, ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ ਪੁਰਾਣੀ
ਬਿਲਡਿੰਗ ਸੈਕਟਰ-17 ਸੀ, ਚੰਡੀਗੜ੍ਹ (ਮੈਂਬਰ)

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਬਿਜਲੀ),
ਪੰਜਾਬ ਲੇ:ਨਿ:ਵਿ:, ਭ. ਤੇ ਮ., ਪਟਿਆਲਾ
ਪਟਿਆਲਾ (ਮੈਂਬਰ)

A&C slip No. 14 to CSR-2020										Annexure-B
Sr No	Page No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks	
1	2	3	6				7		8	
			CSR item	Size	Existing Ceiling Premium		Proposed Ceiling Premium			
			28.11		Labour Rates	Through Rates	Labour Rates	Through Rates		
1	440	28.11	Providing, laying, jointing, fixing and testing ISI Marked uPVC Pipe Type A, as per ISI 4985-2021 with G.I. specials including cost of G.I. specials such as tees, bends, sockets, elbows etc. testing inside building complete.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026	
		A	uPVC Pipe 10 Kgf/cm2							
			a	20mm i/d	27%	16%	46%	32%	-do-	
			b	25mm i/d	27%	14%	46%	31%	-do-	
			c	32mm i/d	27%	10%	46%	27%	-do-	
			d	40mm i/d	27%	6%	46%	22%	-do-	
			e	50mm i/d	27%	3%	46%	17%	-do-	
		B	uPVC Pipe 6 Kgf/cm2							
			a	40mm i/d	27%	12%	46%	28%	-do-	
			b	50mm i/d	27%	7%	46%	22%	-do-	
2	440	28.12 (A)	Providing and laying, jointing, fixing and testing ISI Marked uPVC Pipe Type A, as per ISI 4985-2021 including specials such as tees, bends, sockets, elbow etc., cutting, testing (including cost of specials) in the ground complete in all respects.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026	
		A	uPVC Pipe 10 Kgf/cm2							
			a	20mm i/d	27%	7%	46%	22%	-do-	
			b	25mm i/d	27%	6%	46%	21%	-do-	
			c	32mm i/d	27%	3%	46%	19%	-do-	
			d	40mm i/d	27%	-1%	46%	14%	-do-	
			e	50mm i/d	27%	-4%	46%	9%	-do-	
		B	uPVC Pipe 6 Kgf/cm2							
			a	40mm i/d	27%	4%	46%	19%	-do-	
			b	50mm i/d	27%	-1%	46%	12%	-do-	

A&C slip No. 14 to CSR-2020

Sr. No	Page No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks
1	2	3	6				7		8
3	441	28.13 (A)	Providing, Laying, fixing & jointing of uPVC. Pipes Type A as per ISI-4985-2021 (ISI marked with the prior approval of Engineer-in-Charge) along the Trenches and laying the same in Trenches to correct alignment and gradients, cutting, jointing and testing complete as per specifications.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026
			i	63mm o/d pipe of 10 Kg. / sqcm	27%	0%	46%	12%	-do-
			ii	75mm o/d pipe of 10 Kg. / sqcm	27%	1%	46%	13%	-do-
			iii	90mm o/d pipe of 10 Kg. / sqcm	27%	1%	46%	13%	-do-
			iv	110mm o/d pipe of 10 Kg. / sqcm	27%	0%	46%	12%	-do-
			v	160mm o/d pipe of 10 Kg. / sqcm	27%	0%	46%	12%	-do-
			vi	200mm o/d pipe of 10 Kg. / sqcm	27%	1%	46%	14%	-do-
			vii	250mm o/d pipe of 10 Kg. / sqcm	27%	3%	47%	15%	-do-
			viii	110mm o/d pipe of 8 Kg. / sqcm	27%	-1%	46%	21%	-do-
			ix	160mm o/d pipe of 8 Kg. / sqcm	27%	-2%	46%	21%	-do-
			x	200mm o/d pipe of 8 Kg. / sqcm	27%	-2%	46%	20%	-do-
			xi	250mm o/d pipe of 8 Kg. / sqcm	27%	-2%	47%	16%	-do-
			xii	63mm o/d pipe of 6 Kg. / sqcm	27%	4%	46%	17%	-do-
			xiii	75mm o/d pipe of 6 Kg. / sqcm	27%	4%	46%	17%	-do-
			xiv	90mm o/d pipe of 6 Kg. / sqcm	27%	2%	46%	14%	-do-
			xv	110mm o/d pipe of 6 Kg. / sqcm	27%	2%	46%	14%	-do-
			xvi	160mm o/d pipe of 6 Kg. / sqcm	27%	1%	46%	13%	-do-
			xvii	200mm o/d pipe of 6 Kg. / sqcm	27%	1%	46%	13%	-do-
			xviii	250mm o/d pipe of 6 Kg. / sqcm	27%	1%	47%	13%	-do-
			xix	63mm o/d pipe of 4 Kg. / sqcm	27%	1%	46%	14%	-do-
			xx	75mm o/d pipe of 4 Kg. / sqcm	27%	1%	46%	13%	-do-
			xxi	90mm o/d pipe of 4 Kg. / sqcm	27%	-2%	46%	10%	-do-
			xxii	110mm o/d pipe of 4 Kg. / sqcm	27%	-1%	46%	11%	-do-
			xxiii	160mm o/d pipe of 4 Kg. / sqcm	27%	-1%	46%	11%	-do-
			xxiv	200mm o/d pipe of 4 Kg. / sqcm	27%	1%	46%	14%	-do-
			xxv	250mm o/d pipe of 4 Kg. / sqcm	27%	2%	47%	15%	-do-
			xxvi	90mm o/d pipe of 2.5 Kg. / sqcm	27%	4%	46%	22%	-do-

A&C slip No. 14 to CSR-2020

Annexure-B

No	Page No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks
1	2	3	6				7		8
			xxvii	110mm o/d pipe of 2.5 Kg. / sqcm	27%	1%	46%	18%	-do-
			xxviii	160mm o/d pipe of 2.5 Kg. / sqcm	27%	-1%	46%	16%	-do-
			xxix	200mm o/d pipe of 2.5 Kg. / sqcm	27%	0%	46%	17%	-do-
			xxx	250mm o/d pipe of 2.5 Kg. / sqcm	27%	0%	47%	18%	-do-
4	443	28.14	Providing, laying, fixing & jointing of ISI Marked H.D.P.E. Pipes as per ISI - 4984-1995 along the Trenches and laying the same in Trenches to correct alignment and gradients, cutting, jointing and testing complete as per specifications.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026
			i	90mm o/d H.D.P.E pipe of 6 Kg. PE-63	-	-	46%	53%	-do-
			ii	110mm o/d H.D.P.E pipe of 6 Kg. PE-63	-	-	46%	54%	-do-
			iii	90mm o/d H.D.P.E pipe of 4 Kg. PE-63	-	-	46%	54%	-do-
			iv	110mm o/d H.D.P.E pipe of 4 Kg. PE-63	-	-	46%	55%	-do-
5	443	28.15	Providing, Laying, fixing & jointing of ISI Marked H.D.P.E. Pipes as per ISI - 4984-1995 casting along the Trenches and laying the same in Trenches to correct alignment and gradients, cutting, jointing and testing complete as per specifications.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026
		A	H.D.P.E pipe of 10 Kg. PE-80						
			(a)	25mm o/d	-	-			
			(b)	32 mm o/d	-	-	46%	53%	-do-
			(c)	40 mm o/d	-	-	46%	56%	-do-
			(d)	50 mm o/d	-	-	46%	55%	-do-
			(e)	63 mm o/d	-	-	46%	52%	-do-
			(f)	75 mm o/d	-	-	46%	51%	-do-
			(g)	90 mm o/d	-	-	46%	51%	-do-
			(h)	110 mm o/d	-	-	46%	52%	-do-
			(i)	125 mm o/d	-	-	47%	54%	-do-
			(j)	140 mm o/d	-	-	46%	54%	-do-
			(k)	160 mm o/d	-	-	46%	53%	-do-
			(l)	180 mm o/d	-	-	46%	53%	-do-

A&C slip No. 14 to CSR-2020

Annexure-B

Sl. No	Page No.	CSR Item No.	Existing		Amended as per A&C Slip No. 14		Remarks
1	2	3	6		7		8
			(m)	200 mm o/d	-	-	46% 54% -do-
			(n)	225 mm o/d	-	-	46% 56% -do-
			(o)	250 mm o/d	-	-	46% 55% -do-
			(p)	280 mm o/d	-	-	46% 55% -do-
			(q)	315 mm o/d	-	-	47% 54% -do-
			(r)	355 mm o/d	-	-	46% 54% -do-
			(s)	400 mm o/d	-	-	46% 54% -do-
			(t)	450 mm o/d	-	-	46% 54% -do-
			(u)	500 mm o/d	-	-	47% 54% -do-
			(v)	560 mm o/d	-	-	46% 61% -do-
			(w)	630 mm o/d	-	-	46% 61% -do-
		B	H.D.P.E pipe of 8 Kg. PE-80				
			(a)	32 mm o/d	-	-	46% 54% -do-
			(b)	40 mm o/d	-	-	46% 56% -do-
			(c)	50 mm o/d	-	-	46% 53% -do-
			(d)	63 mm o/d	-	-	46% 55% -do-
			(e)	75 mm o/d	-	-	46% 54% -do-
			(f)	90 mm o/d	-	-	46% 54% -do-
			(g)	110 mm o/d	-	-	46% 54% -do-
			(h)	125 mm o/d	-	-	47% 53% -do-
			(i)	140 mm o/d	-	-	46% 54% -do-
			(j)	160 mm o/d	-	-	46% 54% -do-
			(k)	180 mm o/d	-	-	46% 55% -do-
			(l)	200 mm o/d	-	-	46% 54% -do-
			(m)	225 mm o/d	-	-	46% 55% -do-
			(n)	250 mm o/d	-	-	46% 53% -do-
			(o)	280 mm o/d	-	-	46% 54% -do-
			(p)	315 mm o/d	-	-	47% 54% -do-
			(q)	355 mm o/d	-	-	46% 54% -do-

A&C slip No. 14 to CSR-2020

Sr. No.	Slip No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks
1	2	3	6				7		8
			(r)	400 mm o/d	-	-	46%	53%	-do-
			(s)	450 mm o/d	-	-	46%	57%	-do-
			(t)	500 mm o/d	-	-	47%	55%	-do-
			(u)	560 mm o/d	-	-	46%	62%	-do-
			(v)	630 mm o/d	-	-	46%	63%	-do-
		C	H.D.P.E pipe of 6 Kg. PE-80						
			(a)	40 mm o/d	-	-	46%	55%	-do-
			(b)	50 mm o/d	-	-	46%	53%	-do-
			(c)	63 mm o/d	-	-	46%	54%	-do-
			(d)	75 mm o/d	-	-	46%	54%	-do-
			(e)	90 mm o/d	-	-	46%	54%	-do-
			(f)	110 mm o/d	-	-	46%	54%	-do-
			(g)	125 mm o/d	-	-	47%	54%	-do-
			(h)	140 mm o/d	-	-	46%	54%	-do-
			(i)	160 mm o/d	-	-	46%	54%	-do-
			(j)	180 mm o/d	-	-	46%	53%	-do-
			(k)	200 mm o/d	-	-	46%	53%	-do-
			(l)	225 mm o/d	-	-	46%	54%	-do-
			(m)	250 mm o/d	-	-	46%	54%	-do-
			(n)	280 mm o/d	-	-	46%	53%	-do-
			(o)	315 mm o/d	-	-	47%	54%	-do-
			(p)	355 mm o/d	-	-	46%	54%	-do-
			(q)	400 mm o/d	-	-	46%	54%	-do-
			(r)	450 mm o/d	-	-	46%	57%	-do-
			(s)	500 mm o/d	-	-	47%	56%	-do-
			(t)	560 mm o/d	-	-	46%	63%	-do-
			(u)	630 mm o/d	-	-	46%	63%	-do-
		D	H.D.P.E pipe of 4 Kg. PE-80						
			(a)	50 mm o/d	-	9%	46%	53%	-do-

A&C slip No. 14 to CSR-2020

Annexure-B

A&C Slip No. 14 to CSR-2020									
Sr. No.	Slip No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks
1	2	3	6				7		8
			(b)	63 mm o/d	-	9%	46%	54%	-do-
			(c)	75 mm o/d	-	9%	46%	53%	-do-
			(d)	90 mm o/d	-	9%	46%	51%	-do-
6	446	28.16	Providing,Laying , fixing & jointing of ISI Marked H.D.P.E. Pipes as per ISI - 4984 along the Trenches and laying the same in Trenches to correct alignment and gradients, cutting, jointing and testing complete as per specifications.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026
		A.	H.D.P.E pipe of 10 Kg. PE-100						
			(a)	32 mm o/d	-	-	46%	50%	-do-
			(b)	40 mm o/d	-	-	46%	52%	-do-
			(c)	50 mm o/d	-	-	46%	52%	-do-
			(d)	63 mm o/d	-	-	46%	51%	-do-
			(e)	75 mm o/d	-	-	46%	52%	-do-
			(f)	90 mm o/d	-	-	46%	51%	-do-
			(g)	110 mm o/d	-	-	46%	51%	-do-
			(h)	125 mm o/d	-	-	47%	52%	-do-
			(i)	140 mm o/d	-	-	46%	50%	-do-
			(j)	160 mm o/d	-	-	46%	51%	-do-
			(k)	180 mm o/d	-	-	46%	51%	-do-
			(l)	200 mm o/d	-	-	46%	51%	-do-
			(m)	225 mm o/d	-	-	46%	51%	-do-
			(n)	250 mm o/d	-	-	46%	51%	-do-
			(o)	280 mm o/d	-	-	46%	51%	-do-
			(p)	315 mm o/d	-	-	46%	50%	-do-
			(q)	355 mm o/d	-	-	46%	53%	-do-
			(r)	400 mm o/d	-	-	46%	52%	-do-
			(s)	450 mm o/d	-	-	46%	54%	-do-
			(t)	500 mm o/d	-	-	47%	54%	-do-
			(u)	560 mm o/d	-	-	46%	63%	-do-

A&C slip No. 14 to CSR-2020

Annexure-B

A&C slip No. 14 to CSR-2020										Annexure-B
Sl. No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks		
1	2	3	6				7		8	
			(v)	630 mm o/d	-	-	46%	63%	-do-	
		B	H.D.P.E pipe of 8 Kg. PE-100							
			(a)	40 mm o/d	-	-	46%	49%	-do-	
			(b)	50 mm o/d	-	-	46%	52%	-do-	
			(c)	63 mm o/d	-	-	46%	52%	-do-	
			(d)	75 mm o/d	-	-	46%	52%	-do-	
			(e)	90 mm o/d	-	-	46%	50%	-do-	
			(f)	110 mm o/d	-	-	46%	52%	-do-	
			(g)	125 mm o/d	-	-	47%	53%	-do-	
			(h)	140 mm o/d	-	-	46%	51%	-do-	
			(i)	160 mm o/d	-	-	46%	52%	-do-	
			(j)	180 mm o/d	-	-	46%	51%	-do-	
			(k)	200 mm o/d	-	-	46%	51%	-do-	
			(l)	225 mm o/d	-	-	46%	50%	-do-	
			(m)	250 mm o/d	-	-	46%	51%	-do-	
			(n)	280 mm o/d	-	-	46%	51%	-do-	
			(o)	315 mm o/d	-	-	47%	51%	-do-	
			(p)	355 mm o/d	-	-	46%	54%	-do-	
			(q)	400 mm o/d	-	-	46%	52%	-do-	
			(r)	450 mm o/d	-	-	46%	55%	-do-	
			(s)	500 mm o/d	-	-	47%	55%	-do-	
			(t)	560 mm o/d	-	-	46%	63%	-do-	
			(u)	630 mm o/d	-	-	46%	63%	-do-	
		C	H.D.P.E pipe of 6 Kg. PE-100							
			(a)	50 mm o/d	-	-	46%	50%	-do-	
			(b)	63 mm o/d	-	-	46%	53%	-do-	
			(c)	75 mm o/d	-	-	46%	53%	-do-	
			(d)	90 mm o/d	-	-	46%	51%	-do-	
			(e)	110 mm o/d	-	-	46%	54%	-do-	

A&C slip No. 14 to CSR-2020

Sr. No.	IS.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks
1	2	3	6				7		8
			(f)	125 mm o/d	-	-	47%	52%	-do-
			(g)	140 mm o/d	-	-	46%	52%	-do-
			(h)	160 mm o/d	-	-	46%	51%	-do-
			(i)	180 mm o/d	-	-	46%	52%	-do-
			(j)	200 mm o/d	-	-	46%	52%	-do-
			(k)	225 mm o/d	-	-	46%	51%	-do-
			(l)	250 mm o/d	-	-	46%	51%	-do-
			(m)	280 mm o/d	-	-	46%	51%	-do-
			(n)	315 mm o/d	-	-	47%	50%	-do-
			(o)	355 mm o/d	-	-	46%	53%	-do-
			(p)	400 mm o/d	-	-	46%	52%	-do-
			(q)	450 mm o/d	-	-	46%	54%	-do-
			(r)	500 mm o/d	-	-	47%	54%	-do-
			(s)	560 mm o/d	-	-	46%	63%	-do-
			(t)	630 mm o/d	-	-	46%	63%	-do-
7	449	28.17	Providing, Stringing out, cutting, Jointing and testing of THIN WALLED FLEXIBLE QUICK COUPLING PIPES as per IS 11722/86 (ISI marked with the prior approval of Engineer-in-Charge) laying the same in trenches to correct alignment and gradients, jointed with coupler including cost of specials and all cartage complete.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमन/अ/म-2/2026 3556 dt. 15.07.2026
			Quick Coupling Jointing pipe IS 11722/86						
			a	50.80mm o/d pipe lines laid complete	-	-	46%	24%	-do-
			b	63.50mm o/d pipe lines laid complete	-	-	46%	24%	-do-
			c	76.20mm o/d pipe lines laid complete	-	-	46%	24%	-do-
			d	101.60mm o/d pipe lines laid complete	-	-	46%	24%	-do-
			e	127.00mm o/d pipe lines laid complete	-	-	46%	24%	-do-
			f	152.40mm o/d pipe lines laid complete	-	-	46%	24%	-do-
			g	203.40mm o/d pipe lines laid complete	-	-	46%	24%	-do-

A&C slip No. 14 to CSR-2020

Sr. No.	No.	CSR Item No.	Existing	Amended as per A&C Slip No. 14		Remarks
1	2	3	6	7		8
			h 254.00mm o/d pipe lines laid complete	-	-	46% 24% -do-
			i 304.80mm o/d pipe lines laid complete	-	-	46% 24% -do-
8	450	28.19	CONCEALED IN WALL: Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes as per IS 15778 (ISI marked with the prior approval of Engineer-in-Charge), having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing including jointing of pipes & fittings, with one step CPVC solvent cement and testing of pipes complete as per direction of Engineer-in-Charge.	-	-	Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/ब/स-2/2026 3556 dt. 15.07.2026
			a CPVC SDR 11 Pipe & fitting 16mm o/d	-	-	47% 24% -do-
			b SDR 11 CPVC pipes & fittings 20mm o/d	-	-	47% 12% -do-
			c CPVC SDR 11 Pipe & fitting 25mm o/d	-	-	47% 8% -do-
			d CPVC SDR 11 Pipe & fitting 32mm o/d	-	-	47% 12% -do-
			e CPVC SDR 11 Pipe & fitting 40mm o/d	-	-	47% 6% -do-
			f CPVC SDR 11 Pipe & fitting 50mm o/d	-	-	47% 10% -do-
9	451	28.20	INTERNAL - EXPOSED ON WALL : Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes as per IS 15778 (ISI marked with the prior approval of Engineer-in-Charge), having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings including fixing the pipe with clamps at 1.00 m spacing including jointing of pipes & fittings with one step PVC solvent cement and testing of pipes complete as per direction of Engineer-in-Charge.	-	-	Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/ब/स-2/2026 3556 dt. 15.07.2026
			(a) SDR 11 CPVC pipes & fittings 16mm o/d	-	-	47% 28% -do-
			(b) SDR 11 CPVC pipes & fittings 20mm o/d	-	-	47% 18% -do-

A&C slip No. 14 to CSR-2020

A&C slip No. 14 to CSR-2020										Annexure-D
Sr. No	Sl. No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks	
1	2	3	6				7		8	
			(c)	SDR 11 CPVC pipes & fittings 25mm o/d	-	-	47%	13%	-do-	
			(d)	SDR 11 CPVC pipes & fittings 32mm o/d	-	-	47%	14%	-do-	
			(e)	SDR 11 CPVC pipes & fittings 40mm o/d	-	-	47%	9%	-do-	
			(f)	SDR 11 CPVC pipes & fittings 50mm o/d	-	-	47%	12%	-do-	
			(g)	CPVC Pipe Schd 40 & Schd 80 fittings 65mm i/d	-	-	47%	1%	-do-	
			(h)	CPVC Pipe Schd 40 & Schd 80 fittings 80mm i/d	-	-	47%	3%	-do-	
			(i)	CPVC pipes Schd 40 & Schd 80 fittings 100mm i/d	-	-	47%	4%	-do-	
10	454	28.26	EXTERNAL IN THE GROUND : Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes as per IS 15778 (ISI marked with the prior approval of Engineer-in-Charge), having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement, & testing of joints excluding cost of excavation complete as per direction of Engineer-in-Charge.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026	
			a	CPVC SDR 11 pipes & fittings 16mm o/d	-	-	46%	25%	-do-	
			b	CPVC SDR 11 Pipe & fittings 20mm o/d	-	-	46%	13%	-do-	
			c	CPVC SDR 11 pipe & Fittings 25mm o/d	-	-	46%	9%	-do-	
			d	CPVC SDR 11 pipe & fittings 32mm o/d	-	-	46%	13%	-do-	
			e	CPVC SDR 11 pipes & fittings 0/d 40mm	-	-	46%	7%	-do-	
			f	CPVC SDR 11 pipe & fittings 50mm o/d	-	-	46%	11%	-do-	
			g	CPVC Schd 40 pipe & Schd 80 fittings (62.5 mm i/d)	-	-	46%	-2%	-do-	

A&C slip No. 14 to CSR-2020											Annexure-B
Sr. No	Sl. No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks		
1	2	3	6				7		8		
			h	CPVC SCHd 40pipe & Schd 80 fittings (75 mm i/d)	-	-	46%	2%	-do-		
			l	CPVC SCHd 40pipe & Schd 80 fittings (100 mm i/d)	-	-	46%	4%	-do-		
			j	Schd 40 pipe , 150mm i/d	-	-					
11	455	28.27	Providing & fixing C.I./D.I Flanged end, stem of SS (AIS 1410) and Bronze(gunmetal) working parts Sluice Valves ISI marked 14846-2000, including jointing , testing & cost of Nut ,Bolt & insertion sheet, all carriage complete (with the approval of Engineer in-charge).						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. जमम/व/म-2/2026 3556 dt. 15.07.2026		
		A		Class PN-1 as per ISI							
			(a)	80mm i/d Sluice Valves flanged	-	-	46%	15%	-do-		
			(b)	100mm i/d Sluice Valves flanged	-	-	46%	14%	-do-		
			(c)	150mm i/d Sluice Valves flanged	-	-	46%	14%	-do-		
			(d)	200mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(e)	250mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(f)	300mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(g)	350mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(h)	400mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(i)	450mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(j)	500mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(k)	600mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
		B		Class PN-1.6 as per ISI							
			(a)	80mm i/d Sluice Valves flanged	-	-	46%	15%	-do-		
			(b)	100mm i/d Sluice Valves flanged	-	-	46%	14%	-do-		
			(c)	150mm i/d Sluice Valves flanged	-	-	46%	14%	-do-		
			(d)	200mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(e)	250mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(f)	300mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		
			(g)	350mm i/d Sluice Valves flanged	-	-	46%	13%	-do-		

A&C slip No. 14 to CSR-2020

Sr. No.	Ac. No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks
1	2	3	6				7		8
			(h)	400mm i/d Sluice Valves flanged	-	-	46%	13%	-do-
			(i)	450mm i/d Sluice Valves flanged	-	-	46%	13%	-do-
12	459	28.37	Providing and fixing Polyethelene-Aluminium-Polyethelene (PE-AL-PE) Composite Pressure Pipes conforming to IS - 15450 U.V. stabilised with carbon black having thermal stability for hot & cold water supply, capable to withstand temperature up to 80°C including all special fittings of composite material (engineering plastic blend and brass inserts wherever required) e.g. elbows, tees, reducers, couplers & connectors etc. with clamps at 1.00 m spacing including testing of pipes complete as per direction of the engineer in charge.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/स-2/2026 3556 dt. 15.07.2026
			Concealed work- including cutting chase & making good the wall etc.						
			(a)	1216 (16 mm o/d) pipe	-	-	30%	-2%	-do-
			(b)	1620 (20 mm o/d) pipe	-	-	30%	-5%	-do-
			(c)	2025 (25 mm o/d) pipe	-	-	30%	-1%	-do-
			(d)	2532 (32 mm o/d) pipe	-	-	31%	12%	-do-
			(e)	3240 (40 mm o/d) pipe	-	-	31%	25%	-do-
			(f)	4050 (50 mm o/d) pipe			31%	25%	-do-
13	460	28.38	Providing and fixing Polyethelene-Aluminium-Polyethelene (PE-AL-PE) Composite Pressure Pipes conforming to IS - 15450 - 2004 U.V. stabilised with carbon black having thermal stability for hot & cold water supply, capable to withstand temperature up to 80° C including all special fittings of composite material (engineering plastic blend & brass inserts wherever required) e.g. elbows, tees, reducers, couplers & connectors etc. with trenching, refilling and testing of joints complete as per direction of the engineer in charge. Internal work - Exposed on wall						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/स-2/2026 3556 dt. 15.07.2026

A&C slip No. 14 to CSR-2020

Sr. No.	CSR Item No.	Existing	Amended as per A&C Slip No. 14	Remarks
1	2	3	6	7
		a) 1216 (16 mm o/d) pipe	-	47%
		b) 1620 (20mm o/d) pipe	-	47%
		c) 2025 (25mm o/d) pipe	-	47%
		d) 2532 (32mm o/d) pipe	-	47%
		e) 3240 (40mm o/d) pipe	-	47%
		f) 4050 (50mm o/d) pipe	-	47%
14	460	28.39 A Providing and fixing 3 layer PP-R (Poly propylene Random copolymer) pipes (as per IS:15801-2008) SDR 7.4 U V stabilized & anti - microbial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded polypropylene random fittings i/c fixing the pipe with clamps at 1.00 m spacing including testing of pipes complete as per direction of Engineer in Charge.		
		Concealed work- including cutting chase & making good the wall etc.	-	
		a) PN - 16 Pipe, 16mm o/d	-	46%
		b) PN - 16 Pipe, 20mm o/d	-	46%
		c) PN - 16 Pipe, 25mm o/d	-	46%
		d) PN - 16 Pipe, 32mm o/d	-	46%
		e) PN - 16 Pipe, 40mm o/d	-	46%
		f) PN - 16 Pipe, 50mm o/d	-	46%
15	461	28.39 B Providing and fixing 3 layer PP-R (Poly propylene Random copolymer) pipes (as per IS:15801-2008) SDR 7.4 U V stabilized & anti - microbial fusion welded, having thermal stability for hot & cold water supply including all PP-R plain & brass threaded polypropylene random fittings i/c trenching, refilling & testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall		
		(a) PN- 16 Pipe, 16 mm o/d	-	46%

Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026

Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026

A&C slip No. 14 to CSR-2020

Sr. No.	No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks
1	2	3	6				7		8
			b)	PN- 16 Pipe, 20 mm o/d	-	-	46%	36%	-do-
			c)	PN- 16 Pipe, 25 mm o/d	-	-	46%	24%	-do-
			d)	PN- 16 Pipe, 32 mm o/d	-	-	46%	19%	-do-
			e)	PN- 16 Pipe, 40 mm o/d	-	-	46%	15%	-do-
			f)	PN- 16 Pipe, 50 mm o/d	-	-	46%	26%	-do-
16	462	28.42	Providing water connection with grooved coupler and service coupler in Quick coupling pipe line complete in all respect.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/ब/म-2/2026 3556 dt. 15.07.2026
			a)	In 50.80mm outside diameter pipe line	-	-	46%	12%	-do-
			b)	In 63.50mm outside diameter pipe line	-	-	46%	13%	-do-
			c)	In 76.20 mm outside diameter pipe line	-	-	46%	14%	-do-
			d)	In 101.60mm outside diameter pipe line	-	-	46%	13%	-do-
			e)	In 152.40mm outside diameter pipe line	-	-	46%	12%	-do-
17	481	28.92	Supplying, assembling, lowering and fixing in vertical position in bore well,unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818-2010, including required hire and labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer – in-charge.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/ब/म-2/2026 3556 dt. 15.07.2026
			(a)	100 mm nominal size dia.	-	-	49%	2%	-do-
			(b)	150 mm nominal size dia.	-	-	49%	1%	-do-
			(c)	200 mm nominal size dia.	-	-	49%	4%	-do-
18	481	28.93	Supplying, assembling, lowering and fixing in vertical position in bore well unplasticized PVC medium well screen (RMS) pipes with ribs, conforming to IS:12818, including hire & labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer-in-charge.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/ब/म-2/2026 3556 dt. 15.07.2026
			(a)	100 mm nominal size dia.	-	-	49%	2%	-do-
			(b)	150 mm nominal size dia.	-	-	49%	-10%	-do-
			(c)	200 mm nominal size dia.	-	-	49%	-16%	-do-

A&C slip No. 14 to CSR-2020

Sr. No.	Sl. No.	CSR Item No.	Existing	Amended as per A&C Slip No. 14		Remarks
1	2	3	6	7		8
19	482	28.95 A	Joining P.V.C. / H.D.P.E Pipes and specials with PVC coupling and cement solvent excluding the cost of PVC coupling and cement solvent, including testing etc. complete in all respect.			Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026
			(a) 20 mm o/d pipe and specials	-	46%	-do-
			(b) 25 mm o/d pipe and specials	-	46%	-do-
			(c) 32 mm o/d pipe and specials	-	46%	-do-
			(d) 40 mm o/d pipe and specials	-	46%	-do-
			(e) 50 mm o/d pipe and specials	-	46%	-do-
			(f) 63 mm o/d pipe and specials	-	46%	-do-
			(g) 75 mm o/d pipe and specials	-	46%	-do-
			(h) 90 mm o/d pipe and specials	-	46%	-do-
			(i) 110 mm o/d pipe and specials	-	46%	-do-
			(j) 125 mm o/d pipe and specials	-	46%	-do-
			(k) 140 mm o/d pipe and specials	-	46%	-do-
			(l) 160 mm o/d pipe and specials	-	46%	-do-
			(m) 180 mm o/d pipe and specials	-	46%	-do-
			(n) 200 mm o/d pipe and specials	-	46%	-do-
			(o) 225 mm o/d pipe and specials	-	46%	-do-
			(p) 250 mm o/d pipe and specials	-	46%	-do-
			(q) 280 mm o/d pipe and specials	-	46%	-do-
			(r) 315 mm o/d pipe and specials	-	46%	-do-
			(s) 355 mm o/d pipe and specials	-	46%	-do-
			(t) 400 mm o/d pipe and specials	-	46%	-do-
			(u) 450 mm o/d pipe and specials	-	46%	-do-
			(v) 500 mm o/d pipe and specials	-	46%	-do-
			(w) 560 mm o/d pipe and specials	-	46%	-do-
			(x) 630 mm o/d pipe and specials	-	46%	-do-
20	483	28.95 B	Cutting P.V.C. / H.D.P.E Pipes and specials and chipping or filing the cut surface to a uniform finish complete: -			Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. नमस/व/म-2/2026 3556 dt. 15.07.2026
			(a) 20 mm o/d pipe	-	44%	-do-
			(b) 25 mm o/d pipe	-	45%	-do-
			(c) 32 mm o/d pipe	-	45%	-do-
			(d) 40 mm o/d pipe	-	45%	-do-
			(e) 50 mm o/d pipe	-	44%	-do-

A&C slip No. 14 to CSR-2020

A&C slip No. 14 to CSR-2020										Annexure-B
Sr. No	No.	CSR Item No.	Existing				Amended as per A&C Slip No. 14		Remarks	
1	2	3	6				7		8	
			(f)	63 mm o/d pipe	-	-	44%	-	-do-	
			(g)	75 mm o/d pipe	-	-	44%	-	-do-	
			(h)	90 mm o/d pipe	-	-	44%	-	-do-	
			(i)	110 mm o/d pipe	-	-	44%	-	-do-	
			(j)	125 mm o/d pipe	-	-	44%	-	-do-	
			(k)	140 mm o/d pipe	-	-	44%	-	-do-	
			(l)	160 mm o/d pipe	-	-	44%	-	-do-	
			(m)	180 mm o/d pipe	-	-	44%	-	-do-	
			(n)	200 mm o/d pipe	-	-	44%	-	-do-	
			(o)	225 mm o/d pipe	-	-	44%	-	-do-	
			(p)	250 mm o/d pipe	-	-	44%	-	-do-	
			(q)	280 mm o/d pipe	-	-	44%	-	-do-	
			(r)	315 mm o/d pipe	-	-	44%	-	-do-	
			(s)	355 mm o/d pipe	-	-	44%	-	-do-	
			(t)	400 mm o/d pipe	-	-	44%	-	-do-	
			(u)	450 mm o/d pipe	-	-	44%	-	-do-	
			(v)	500 mm o/d pipe	-	-	44%	-	-do-	
			(w)	560 mm o/d pipe	-	-	44%	-	-do-	
			(x)	630 mm o/d pipe	-	-	44%	-	-do-	
21	487	28.102	Supplying and Fixing PVC Repair/service saddle for repair of PVC pipe line excluding the cost of excavation complete in all respects.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. जसम/ब/म-2/2026 3556 dt. 15.07.2026	
			a	90 mm i/d	-	-	44%	14%	-do-	
			b	110 mm i/d	-	-	44%	19%	-do-	
			c	160 mm i/d	-	-	44%	21%	-do-	
22	488	28.103	Supplying and Fixing PVC Detachable joint for reappear of PVC pipe line excluding the cost of excavation complete in all respects.						Premium changed as recommended vide CE (Central), Water Supply & Sanitation Deptt. vide letter no. जसम/ब/म-2/2026 3556 dt. 15.07.2026	
			a	90 mm i/d	-	-	44%	26%	-do-	
			b	110 mm i/d	-	-	44%	27%	-do-	
			c	160 mm i/d	-	-	44%	27%	-do-	
			d	250 mm i/d	-	-	44%	25%	-do-	

A&C slip No. 14 to CSR-2020

Annexure-B

A&C slip No. 14 to CSR-2020						Annexure-B
Sr. No.	No.	CSR Item No.	Existing		Amended as per A&C Slip No. 14	Remarks
1	2	3	6		7	8
23	84	6.4 (b)	For Royalty for ordinary earth /Ordinary clay as per Punjab State Minor Mineral Policy 2023".	103.38	104.82	Amended as recommended vide CE, Water Resources Deptt. vide letter no. 3998/ Tendering/659037 dt. 07.05.2026 (Details attached as per Annexure-B1)
24	411	item No. 25.2 Note-5	Wherever there is no silt in the bed of the distributary/minor, rates should further be decreased by 40% of that of normal norms of weed, jalla, deela, sarkanda, jungle, butti, dhora etc. with silt.	If measurable silt is present in the channel, then item no. 6.1 shall be applicable and the whole cross-section shall be cleared of weed, jalla, deela, sarkanda, jungle, butti, dhora and silt etc. under it.	Amended as recommended vide CE, Water Resources Deptt. vide letter no. 5657/ 4 Tendering/ 1018249 dt. 07.07.2026	
25	442	28.13 (B)	Providing and laying, jointing, fixing and testing ISI Marked uPVC Pipe Lines as per ISI 4985, Type-B for Irrigation, including specials such as tees, bends, sockets, elbow etc., cutting, testing (including cost of specials) in the ground complete in all respects.	Providing, Laying, fixing & jointing of uPVC Pipes as per ISI-4985, Type-B for irrigation (ISI marked) along the trenches and laying the same in trenches to correct alignment and gradients, cutting, jointing and testing complete as per specifications and up-to the satisfaction of the Engineer-in-charge.	Amended as recommended vide CE, Water Resources Deptt. vide letter no. 6020/ Tendering/ 1020110 dt. 29.07.2026	

Chief Engineer (H.Q.-1)-cum-convenor,
Direction Committee of Chief Engineers,
Punjab PWD (B&R), Patiala

Chief Engineer,
Local Bodies, Punjab, Plot No. 3
Sector 35-A, Chandigarh (Member)

Chief Architect,
Deptt. Architect, SCO No. 149-52, 1st & 4th Floor,
Punjab Mandi Board, Old building, Sector-17 C
Chandigarh (Member)

Chief Engineer (Canal),
Punjab Deptt. Water Resources,
Hydal Bhawan, Sector-18, Chandigarh (Member)

Engineer-in-Chief,
Punjab Deptt. Water Supply & Sewerage Board,
Sector-27 A, Plot No. 1 B, Madhya Marg,
Chandigarh (Member)

Chief Engineer (Electrical),
Punjab PWD B&R,
Patiala (Member)

Chief Engineer,
Punjab, Pb. Deptt. Water Supply & Sanitation,
Nabha Road, Patiala/Mohali (Member)

Chief Engineer,
Punjab Deptt. Panchayati Raj,
Phase-9, Mohali (Member)

New Item no of CSR	Tariff/HSN Code	Description of Item	Unit		Quantity	Basic Rate without GST	GST rate	Amount with GST
1	2	3	4	5	6	7	8	9
6.4 (b)		For Royalty for ordinary earth /Ordinary clay as per Punjab State Minor Mineral Policy 2023".						
(ii)	a	Royalty @ Rs. 2/- per cft.	1	cum	1	70.63		70.63
	b	Distt. Mineral foundation Fund @ Rs. 1/3 of above	1	cum	1	23.66		23.66
	c	Add EMF @ Rs. 0.20/cft	1	cum	1	7.06		7.06
	c	SMET @ Rs. 0.04/cft	1	cum	1	1.41		1.41
		Total a+b+c+d						102.76
	d	TCS on (a+b+c+d) @ Rs. 2% of above				102.76	2%	2.055
		Total rate per cum (the contractor profit, Labour cess and GST will not be applicable)						104.82

Chief Engineer (H.Q.-1)-cum-convenor,
Direction Committee of Chief Engineers,
Punjab PWD (B&R), Patiala

Chief Engineer,
Local Bodies, Punjab, Plot No. 3
Sector 35-A, Chandigarh (Member)

Chief Architect,
Deptt. Architect, SCO No. 149-52, 1st & 4th Floor,
Punjab Mandi Board, Old building, Sector-17 C
Chandigarh (Member)

Chief Engineer (Canal),
Punjab Deptt. Water Resources,
Hydal Bhawan, Sector-18, Chandigarh

Engineer-in-Chief,
Punjab Deptt. Water Supply & Sewerage,
Sector-27 A, Plot No. 1 B, Madhya Mar
Chandigarh (Member)

Chief Engineer (Electrical),
Punjab PWD B&R,
Patiala (Member)

Chief Engineer,
Punjab, Pb. Deptt. Water Supply & Sanitation,
Nabha Road, Patiala/Mohali (Member)

Chief Engineer,
Punjab Deptt. Panchyati Raj,
Phase-9, Mohali (Member)

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸੈਂਟਰਲ), ਪੰਜਾਬ
ਜਲ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ, ਪਟਿਆਲਾ।

(ਕਾਰਜ ਸਾਖਾ- ਸੈਂਟਰਲ)

(ਈਮੇਲ ਰਾਹੀਂ ਵੀ)

ਵਿਖੇ

ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਹੈ:ਕੁ-1) ਕਮ ਕਨਵੀਨਰ,
 ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਚੀਫ ਇੰਜੀਨੀਅਰਜ਼,
 ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ, ਪਟਿਆਲਾ।

ਨੰ: ਜਸਸ/ਕ/ਸ-2/2026 3556

ਮਿਤੀ: 15/7/26

ਵਿਸ਼ਾ: Review of CSR and revision of Ceiling Premium of Items related to DI, AC, HDPE, Quick Coupling, CPVC, uPVC, PLP etc. of CSR Chapter 28 as per Latest Market Rates.

ਵਿਸ਼ਾ ਅੰਕਿਤ ਮਾਮਲੇ ਸਬੰਧੀ ਦੱਸਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਜਲ ਸਪਲਾਈ ਅਤੇ ਸੈਨੀਟੇਸ਼ਨ ਵਿਭਾਗ ਅਧੀਨ Standing Committee on Technical Matters ਵੱਲੋਂ 40ਵੀਂ ਮੀਟਿੰਗ ਵਿੱਚ uPVC Pipes ਦੇ ਰੇਟਾਂ ਨੂੰ ਰੀਵਾਈਜ਼ ਕਰਨ ਹਿੱਤ Direction Committee of Chief Engineers ਵਿੱਚ ਭੇਜਣ ਹਿੱਤ ਪ੍ਰਵਾਨਗੀ ਦਿੱਤੀ ਗਈ ਹੈ।

ਉਕਤ ਅਨੁਸਾਰ CSR Chapter-28 ਵਿੱਚ ਨਾਲ ਨੱਥੀ ਅਨੈਕਸਚਰ ਅਨੁਸਾਰ ਸੇਧ ਕਰਦੇ ਹੋਏ ਰੇਟ Direction Committee of Chief Engineers ਵਿੱਚ ਪ੍ਰਵਾਨ ਕਰਨ ਦੀ ਖੇਚਲ ਕੀਤੀ ਜਾਵੇ ਜੀ।

ਨੱਥੀ/ਉਕਤ ਅਨੁਸਾਰ।



 ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸੈਂਟਰਲ)

ਮਿਤੀ:

ਪਿੱਠ ਅੰਕਣ ਨੰ. ਜਸਸ/ਕ/ਸ-2/2026

ਉਪਰੋਕਤ ਦੀ ਨਕਲ ਹੇਠ ਲਿਖਿਆਂ ਨੂੰ ਸੂਚਨਾ ਅਤੇ ਲੋੜੀਂਦੀ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜੀ ਜਾਂਦੀ ਹੈ:-

1. ਸਮੂਹ ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਉੱਤਰ/ਦੱਖਣ/ਪੀ.ਡੀ.ਕਿਊ.ਏ.), ਜਸਸ ਵਿਭਾਗ।
2. ਐਡਵਾਇਜਰ (ਡਿਜਾਇਨ), ਜਸਸ ਵਿਭਾਗ, ਐਸ.ਏ.ਐਸ. ਨਗਰ।
3. ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ (ਟੈਕਨੀਕਲ), ਜਸਸ ਵਿਭਾਗ, ਐਸ.ਏ.ਐਸ. ਨਗਰ।
4. ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ, ਜਸਸ ਹਲਕਾ, ਲੁਧਿਆਣਾ।
5. ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ ਵਰਕਸ (ਸੈਂਟਰਲ/ਦੱਖਣ/ਉੱਤਰ), ਮੁੱਖ ਦਫਤਰ, ਪਟਿਆਲਾ।


 ਮੁੱਖ ਇੰਜੀਨੀਅਰ (ਸੈਂਟਰਲ)

Proceedings of the 40th meeting of Standing Committee on Technical Matters (SCoTM) held on 07.07.26 at 02:30 PM under the chairpersonship of Chief Engineer (South), DWSS at HoD Office Phase 2 S.A.S Nagar, Mohali.


40th meeting of SCoTM was held under the Chairpersonship of Chief Engineer (South) DWSS on 07.07.26 at 02:30 PM, at HoD office Mohali with the Committee members and concerned officers of the department for various agenda items.

- List of officers who attended the meeting is attached as **Annexure-A**.
- SE (Technical) welcomed all officers in the 40th meeting of Standing Committee on Technical Matters (SCoTM).
- The agenda items were presented and discussion/decisions taken in the meeting are as under:-

<u>Sr no</u>	<u>Agenda</u>	<u>Discussion / Decision</u>
1	Presentation of 'Ashirwad by Aliasix" PVC-O Pipes and Other Products by Ashirvad Pipes Pvt. Ltd.	• Concerned representatives of the firm Ashirvad Pipes made a presentation regarding PVC-O Pipes, highlighting cost savings vis-à-vis DI pipes on water supply systems. • It was decided that a pilot of the pipes needs to be done so as to test according to field conditions. • Further it was decided that comparison with life cycle of uPVC pipes currently being used, needs to be submitted by the firm for further discussion.
2	Presentation Regarding Gravity feed Chlorinator base on Micro Controller Technology by Jet Clean company.	• Concerned representatives of the firm Jet Clean presented comparison vis-à-vis chlorinators currently being used. The firm representatives also highlighted that pilot has been successfully conducted across prescribed divisions of DWSS in each zone. • It was decided that a life cycle cost comparison be presented by EE division no. 2 Patiala in which pilot was installed.
3	Regarding revision in CSR rates of uPVC pipes.	• SE Ludhiana presented that agenda wherein increase in prices of uPVC pipes and other related items were proposed. • Committee approved the agenda and recommended for sending the schedule items to Direction Committee of Chief Engineers.

Meeting ended with vote of thanks.


Chief Engineer (North)


Chief Engineer (PDQA)


Chief Engineer (Central)


Chief Engineer (South)
cum-Chairperson
Standing Committee on
Technical Matters

List of officers, who attended the 40th Standing Committee on Technical Matters (SCoTM).

Sr No	Name of the Officer	Designation
1	Sh. J.J. Goel	Chief Engineer (South), DWSS
2	Sh. Rajesh Kumar Khosla	Chief Engineer (Central), DWSS
3	Sh. Ratesh Garg	Chief Engineer (PD&QA), DWSS
4	Sh. Karanbir Singh	Chief Engineer (North), DWSS
5	Sh. Naval Kishore Verma	Superintending Engineer(Technical), DWSS
6	Sh. Sukhpinder Singh	Superintending Engineer(Ludhiana), DWSS
7	Sh. Kartik Jindal	Executive Engineer (Works South), DWSS
8	Sh. Puneet Garg	Executive Engineer (Works North), DWSS
9	Sh. M.P. Singh	Executive Engineer (Works Central), DWSS
10	Sh. Harinder Singh	Executive Engineer (Design Central), DWSS
11	Sh. Ishan Kaushal	Executive Engineer (Technical), DWSS
12	Sh. Gaurav	Executive Engineer (Design Planning South), DWSS
13	Sh. Rashpinder Singh	Executive Engineer (Div. 2 Patiala), DWSS
14	Sh. Vikant Dev	Executive Engineer (Design Planning North), DWSS
15	Smt. Kanwalpreet Kaur	SDE (Technical), DWSS
16	Sh. Sanjeev Kumar, MD	M/s. Jet Clean Pvt. Ltd.
17	Sh. Pankaj Vohra, M. Manager	
18	Sh. Mohan Singh, Tech.	
19	Sh. Gurpreet Singh Bajwa, A. Manager	
20	Sh. Manish Sharma	M/s Ashirvad Pipes.
21	Sh. Shireesh Pankaj	
22	Sh. Gaurav	

ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ।

(ਈ-ਮੇਲ - cecanals.dwr.chd@punjab.gov.in)

ਵੱਲ,

ਮੁੱਖ ਇੰਜੀਨੀਅਰ -ਕਮ-(ਹੈ.ਕੁ.-1/2) ਕਨਵੀਨਰ,

ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਇੰਜੀਨੀਅਰਜ਼,

ਪੰਜਾਬ ਲੇ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ ਪਟਿਆਲਾ।

ਮੀਮੇ ਨੰਬਰ 5657 / 4 ਟੈਡਰਿੰਗ / 1018249

ਮਿਤੀ 07/07/2026

ਵਿਸ਼ਾ :- Regarding the Canal cleaning items for brick and concrete lining. (Chapter 25 of C.S.R.)

ਹਵਾਲਾ :- ਇਸ ਦਫਤਰ ਦੇ ਪੱਤਰ ਨੰਬਰ 11836/4 ਟੈਡਰਿੰਗ/1018249 ਮਿਤੀ 09.12.2025 ਅਤੇ ਪੱਤਰ ਨੰਬਰ 3056-62/4 ਟੈਡਰਿੰਗ/1018249 ਮਿਤੀ 22.04.2026.

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਸਬੰਧੀ ਬੇਨਤੀ ਹੈ ਕਿ ਇਸ ਦਫਤਰ ਦੇ ਪੱਤਰ ਨੰ. 11836/4 ਟੈਡਰਿੰਗ/1018249 ਮਿਤੀ 09.12.2025 ਰਾਹੀਂ ਸੀ.ਐਸ.ਆਰ. ਦੇ ਚੈਪਟਰ ਨੰਬਰ 25 ਦੀ ਆਈਟਮ 25.1, 25.2 ਅਤੇ 25.7 ਵਿੱਚ ਲੋੜੀਂਦਾ ਸੋਧ ਕਰਨ ਲਈ ਤਜਵੀਜ਼ ਆਪ ਜੀ ਨੂੰ ਭੇਜੀ ਗਈ ਸੀ।

ਇਸ ਤੋਂ ਬਾਅਦ ਇਸ ਦਫਤਰ ਦੇ ਪੱਤਰ ਨੰਬਰ 3056-62/4 ਟੈਡਰਿੰਗ/1018249 ਮਿਤੀ 22.04.2026 ਰਾਹੀਂ ਸੀ.ਐਸ.ਆਰ. ਦੇ ਚੈਪਟਰ ਨੰਬਰ 25 ਦੀ ਆਈਟਮ 25.2 ਦੇ ਨੋਟ ਨੰਬਰ 5 ਨੂੰ ਸੋਧਿਆ ਗਿਆ ਸੀ।

ਇਸ ਲਈ ਆਪ ਜੀ ਨੂੰ ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਪੱਤਰ ਨੰ. 3056-62/4 ਟੈਡਰਿੰਗ/1018249 ਮਿਤੀ 22.04.2026 ਵਿੱਚ ਦਰਜ Note ਨੂੰ ਆਈਟਮ ਨੰਬਰ 25.2(B) ਵਿੱਚ ਹੇਠ ਦਰਸਾਏ ਅਨੁਸਾਰ ਸੋਧ ਕੇ ਮੁੜ ਜਾਰੀ ਕਰ ਦਿੱਤਾ ਜਾਵੇ ਜੀ।

Sr. No.	Provision	As per A.C. Slip	Proposal
1	Note No. 5 under Item No. 25.2	Wherever there is no silt in the bed of distributary/minor, rates shall be reduced by 40% of the normal norms of weed, jalla, deela, sarkanda, jungle, butti, dhora etc. with silt.	If measurable silt is present in the channel, then Item No. 6.1 shall be applicable and the whole cross-section shall be cleared of weed, jalla, deela, sarkanda, jungle, butti, dhora and silt etc. under it.

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ/ਟੈਡਰਿੰਗ ਅਤੇ ਕੰਟਰੈਕਟ,

ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ,

ਚੰਡੀਗੜ੍ਹ। E. (8/2)

ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ।

(ਈ-ਮੇਲ - cecanals.dwr.chd@punjab.gov.in)

ਵੱਲ,

ਮੁੱਖ ਇੰਜੀਨੀਅਰ -ਕਮ-(ਹੈ.ਕੁ.-1/2) ਕਨਵੀਨਰ,
ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਇੰਜੀਨੀਅਰਜ਼,
ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ ਪਟਿਆਲਾ।

ਮੀਮੇ ਨੰਬਰ 3998 / ਟੈਡਰਿੰਗ / 659037
ਮਿਤੀ 07/05/2026

ਵਿਸ਼ਾ :- ਸੀ.ਐਸ.ਆਰ. ਦੀ ਆਈਟਮ ਵਿੱਚ ਸੇਧ ਕਰਨ ਸਬੰਧੀ।

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਆਪ ਜੀ ਨੂੰ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਪੰਜਾਬ ਸਰਕਾਰ ਵੱਲੋਂ ਮਿਤੀ 11.09.2025 (ਕਾਪੀ ਨੰਬਰ) ਦੀ ਅਧਿਸੂਚਨਾ ਰਾਹੀਂ Punjab State Minerals Exploration Trust ਸਥਾਪਿਤ ਕੀਤਾ ਗਿਆ ਹੈ। ਇਸ ਟਰੱਸਟ ਵਿੱਚ Contribution ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਕੀਤਾ ਜਾਣਾ ਹੈ।

"The mining lease holders, quarry licensee and permit holders of minor minerals shall pay contribution to the Trust fund in respect of any mineral removed by him from and or consumed within the area allotted or permitted to him, a sum equivalent to two percent of the royalty for first five years and thereafter a sum equivalent to one percent of the royalty paid in terms of the Schedule A of the Punjab Minor Mineral Rules, 2013 as amended from time to time".

ਉਕਤ ਦੇ ਅਨੁਸਾਰ CSR ਦੀ ਆਈਟਮ 6.4 (B) ਦੇ ਵਿੱਚ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਸੇਧ ਕਰਨੀ ਬਣਦੀ ਹੈ।

Sr No.	Tariff/ HSN code	Description of Item	Unit		Quantity	Basic Rate without GST	GST rate	Amount with GST
		For Royalty for ordinary earth/Ordinary clay as per Punjab State Minor Mineral Policy 2023 private land.						
(ii)	a	Royalty @ Rs. 2/- per cft	1	cum	1	70.63		70.63
	b	Distt. Mineral foundation Fund @ 1/3 of above	1	cum	1	23.660		23.660
	c	Add EMF @ Rs. 0.20/cft	1	cum	1	7.06		7.06
	d	SMET @ Rs. 0.04/cft	1	cum	1	1.41		1.412
		Total a+b+c+d						102.76
	e	TCS on (a+b+c+d)@ 2 % of above				102.76	2%	2.055
		Total rate per cum (the contractor profit, Labour cess and GST will not be applicable)						104.82

ਉਕਤ ਅਨੁਸਾਰ ਆਪ ਜੀ ਨੂੰ ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਸੀ.ਐਸ.ਆਰ. ਵਿੱਚ ਉਪਰੋਕਤ ਆਈਟਮ ਵਿੱਚ ਸੇਧ ਕਰਨ ਦੀ ਖੋਚਲ ਕੀਤੀ ਜਾਵੇ ਜੀ।


ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ/ਟੈਡਰਿੰਗ ਅਤੇ ਕੰਟਰੈਕਟ,
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ,
ਚੰਡੀਗੜ੍ਹ।

ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ।

(ਈ-ਮੇਲ - cecanals.dwr.chd@punjab.gov.in)

ਵੱਲ,

ਮੁੱਖ ਇੰਜੀਨੀਅਰ -ਕਮ-(ਹੈ.ਕੁ.-1/2) ਕਨਵੀਨਰ,

ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਇੰਜੀਨੀਅਰਜ਼,

ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ ਪਟਿਆਲਾ।

ਮੀਮੇ ਨੰਬਰ 5679 / 4 ਟੈਡਰਿੰਗ / 1020110

ਮਿਤੀ 09/09/2026

ਵਿਸ਼ਾ :- ਸੀ.ਐਸ.ਆਰ. ਦੀ ਆਈਟਮ 28.13(B) ਦੇ Nomenclature ਵਿੱਚ ਸੋਧ ਸਬੰਧੀ।

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਸਬੰਧੀ ਬੇਨਤੀ ਹੈ ਕਿ ਆਪ ਦੇ ਦਫਤਰ ਦੇ ਮੀਮੇ ਨੰਬਰ 80-94/ ਸੀ.ਐਸ.ਆਰ. ਮਿਤੀ 22.04.2026 ਦੁਆਰਾ A.C. slip 13 ਜਾਰੀ ਕੀਤੀ ਗਈ ਸੀ ਇਸ ਉਪਰੰਤ ਇਸ ਦਫਤਰ ਵੱਲੋਂ ਘੋਖਣ ਤੇ ਪਾਇਆ ਗਿਆ ਕਿ ਆਈਟਮ ਨੰਬਰ 28.13(B) ਦੇ A.O.R. ਵਿੱਚ Specials ਨੂੰ ਸ਼ਾਮਲ ਨਹੀਂ ਕੀਤਾ ਗਿਆ ਸੀ, ਜਦ ਕਿ ਇਸ ਆਈਟਮ ਦੇ Nomenclature ਵਿੱਚ Specials ਨੂੰ ਸ਼ਾਮਲ ਕਰ ਲਿਆ ਗਿਆ ਸੀ।

ਇਸ ਲਈ ਆਪ ਜੀ ਨੂੰ ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਆਈਟਮ ਨੰਬਰ 23.12(B) ਵਿੱਚ ਹੇਠ ਦਰਸਾਏ ਅਨੁਸਾਰ ਸੋਧ ਕੇ ਮੁੜ ਜਾਰੀ ਕਰਨ ਦੀ ਲੋੜ ਹੈ।

Particular	As per A.C. Slip 13	Proposal
Nomenclature	Providing and laying, jointing, fixing and testing ISI Marked uPVC Pipe Lines as per ISI 4985, Type-B for Irrigation, including specials such as tees, bends, sockets, elbow etc., cutting, testing (including cost of specials) in the ground complete in all respects.	Providing, Laying, fixing & jointing of uPVC Pipes as per ISI-4985, irrespective of pressure class (ISI marked with prior approval of Engineer-in-Charge) along the trenches and laying the same in trenches to correct alignment and gradients, cutting, jointing and testing complete as per specifications

ਉਕਤ ਅਨੁਸਾਰ ਆਪ ਨੂੰ ਲੋੜੀਂਦੀ ਸੋਧ ਜਾਰੀ ਕਰਨ ਦੀ ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ।

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ/ਟੈਡਰਿੰਗ ਅਤੇ ਕੰਟਰੈਕਟ,
ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ,
ਚੰਡੀਗੜ੍ਹ।

ਮੁੱਖ ਇੰਜੀਨੀਅਰ, ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ, ਸੈਕਟਰ-18, ਚੰਡੀਗੜ੍ਹ।

(ਈ-ਮੇਲ - cecanals.dwr.chd@punjab.gov.in)

ਵੱਲ,

ਮੁੱਖ ਇੰਜੀਨੀਅਰ -ਕਮ-(ਹੈ.ਕੁ.-1/2) ਕਨਵੀਨਰ,

ਡਾਇਰੈਕਸ਼ਨ ਕਮੇਟੀ ਆਫ ਇੰਜੀਨੀਅਰਜ਼,

ਪੰਜਾਬ ਲੋ:ਨਿ:ਵਿ:, ਭ ਤੇ ਮ ਪਟਿਆਲਾ।

ਮੀਮੇ ਨੰਬਰ 60੨੦ / ਟੈਂਡਰਿੰਗ / 1020110

ਮਿਤੀ ੨੧/07/2026

ਵਿਸ਼ਾ :- ਸੀ.ਐਸ.ਆਰ. ਦੀ ਆਈਟਮ 28.13(B) ਦੇ Nomenclature ਵਿੱਚ ਸੋਧ ਸਬੰਧੀ।

ਹਵਾਲਾ :- ਇਸ ਦਫਤਰ ਦਾ ਪੱਤਰ ਨੰਬਰ 5679/ 4 ਟੈਂਡਰਿੰਗ / 1020110 ਮਿਤੀ 09.07.2026.

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਅਤੇ ਹਵਾਲੇ ਸਬੰਧੀ ਬੇਨਤੀ ਹੈ ਕਿ ਆਪ ਦੇ ਦਫਤਰ ਦੇ ਮੀਮੇ ਨੰਬਰ 80-94/ ਸੀ.ਐਸ.ਆਰ. ਮਿਤੀ 22.04.2026 ਦੁਆਰਾ AC sip 13 ਜਾਰੀ ਕੀਤੀ ਗਈ ਸੀ ਇਸ ਉਪਰੰਤ ਇਸ ਦਫਤਰ ਵੱਲੋਂ ਘੋਖਣ ਤੇ ਪਾਇਆ ਗਿਆ ਕਿ ਆਈਟਮ ਨੰਬਰ 28,13(B) ਦੇ A.O.R. ਵਿੱਚ Specials ਨੂੰ ਸ਼ਾਮਲ ਨਹੀਂ ਕੀਤਾ ਗਿਆ ਸੀ, ਜਦ ਕਿ ਇਸ ਆਈਟਮ ਦੇ Nomenclature ਵਿੱਚ Specials ਨੂੰ ਸ਼ਾਮਲ ਕਰ ਲਿਆ ਗਿਆ ਸੀ।

ਇਸ ਲਈ ਆਪ ਜੀ ਨੂੰ ਇਸ ਦਫਤਰ ਦੀ ਈ-ਮੇਲ ਮਿਤੀ 21.07.2026 ਦੀ ਲਗਾਤਾਰਤਾ ਵਿੱਚ ਬੇਨਤੀ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਆਈਟਮ ਨੰਬਰ 28.13(B) ਵਿੱਚ ਹੇਠ ਦਰਸਾਏ ਅਨੁਸਾਰ ਸੋਧ ਕੇ ਮੁੜ ਜਾਰੀ ਕਰਨ ਦੀ ਲੋੜ ਹੈ।

Particular	As per A.C. Slip 13	proposal
Nomenclature	Providing and laying, jointing, fixing and testing ISI Marked uPVC Pipe Lines as per ISI 4985, Type-B for Irrigation, including specials such as tees, bends, sockets, elbow etc., cutting, testing (including cost of specials) in the ground complete in all respects.	Providing, Laying, fixing & jointing of uPVC Pipes as per ISI-4985, Type-B for irrigation (ISI marked) along the trenches and laying the same in trenches to correct alignment and gradients, cutting, jointing and testing complete as per specifications and up-to the satisfaction of the Engineer-in-charge.


 ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ/ਟੈਂਡਰਿੰਗ ਅਤੇ ਕੰਟਰੈਕਟ,
 ਵਾ: ਮੁੱਖ ਇੰਜੀਨੀਅਰ/ਨਹਿਰਾਂ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ, ਪੰਜਾਬ,
 ਚੰਡੀਗੜ੍ਹ। ਟ: ੪੨੧