

Chapter No. 33.06

RECESSED HDPE PIPE WIRING SYSTEM WITH FLUSH PIANO TYPE SWITCHES:

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
33.06		Wiring in PVC insulated copper conductor single core FRLS cable (ISI marked), 1100volts grade to be laid in HDPE conduit pipe 20mm/25mm dia. ISI Marked, recessed in wall etc., complete with powder coated/anodized concealed metal boxes required for having electronic fan regulators, bell push, electronic buzzer, 3pin 6Amp., 3pin 16/20 Amp. Sockets and 6 Amp./16/20Amp. Switches (flush piano type accessories) etc. and covered with brown bakelite white glazed translucent backside painted sheet 3mm thick etc., & including the cost of flush piano type switches/sockets, step type electronic fan regulator 100 watts, PVC connector (For Fan Box and Electronic Buzzer), PVC Bush, Steel Hooks, Cast Iron circular Inspection box (Recessed Type and Deep Type) HDPE electrical conduit pipe & copper wire and other petty material etc. including the cost of cutting and filling up of chases:-								
(i) a		Wiring fan point without fan box in PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq. mm, 1100volts grade with step type electronic fan regulator 100watts.								
		Unit :-	1	Each						
I		Materials								
(i)		HDPE electrical conduit pipe 20mm dia. (ISI marked)		Metre	5.00	48.49	242.45			
(ii)		25mm thick cement plaster 1:6 in two coats work (CSR Item No. 15.35		Sq.m	0.20	54.00	10.80			
(iii)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq.mm, 1100volts grade		Metre	12.50	9.64	120.50			
(iv)		Steel hook (for hold the pipe in the wall)		Each	5.00	3.38	16.90			
(v)		HDPE pipe bend 20mm dia.		Each	1.00	24.97	24.97			
(vi)		Cast iron circular inspection box 20mm dia. (3" deep)		Each	1.00	25.59	25.59			
(vii)		PVC connector		Each	1.00	3.98	3.98			
(viii)		Powder coated concealed metal box with brass lugs three module		Each	1.00	36.93	36.93			
(ix)		Brown bakelite white glazed backside painted sheet 3mm thick		Sq. inch	20.00	0.25	5.00			
(x)		Single pole 6amp. switch flush piano type		Each	1.00	13.14	13.14			
(xi)		Step type fan regulator (socket size)		Each	1.00	163.23	163.23			
(xii)		CPL Screw 40mm long		Each	2.00	2.00	4.00			
		Total - I				667.49				

[illegible]

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
(i) b		Wiring fan point with sheet metal fan box (shape hexagonal & sheet thickness not less than 1.60 mm) in PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq. mm, 1100volts grade with step type electronic fan regulator 100watts.								
		Unit :-	1	Each						
I		Materials								
(i)		HDPE electrical conduit pipe 20mm dia. (ISI marked)	Metre	5.00	48.49	242.45				
(ii)		25mm thick cement plaster 1:6 in two coats work (CSR Item No. 15.35 Rs.109.22-56.22)	Sq.m	0.20	54.00	10.80				
(iii)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq.mm, 1100volts grade	Metre	12.50	9.64	120.50				
(iv)		Steel hook (for hold the pipe in the wall)	Each	5.00	3.38	16.90				
(v)		HDPE pipe bend 20mm dia.	Each	1.00	24.97	24.97				
(vi)		Cast iron circular inspection box 20mm dia. (1½" deep surface type)	Each	1.00	19.91	19.91				
(vii)		PVC connector	Each	1.00	3.98	3.98				
(viii)		Powder coated concealed metal box with brass lugs three module	Each	1.00	36.93	36.93				
(ix)		Brown bakelite white glazed backside painted sheet 3mm thick (including for sheet metal fan box)	Sq. inch	20.00	0.25	5.00				
(x)		Single pole 6amp. switch flush piano type	Each	1.00	13.14	13.14				
(xi)		Step type fan regulator (socket size)	Each	1.00	163.23	163.23				
(xii)		Sheet metal hexagonal fan box (1.60mm thick)	Each	1.00	69.63	69.63				
(xiii)		CPL Screw 40mm long	Each	2.00	2.00	4.00				
		Total - I				731.44				
		Sundries such as carriage of material and other hidden charges etc.@1% on Rs.731.44				7.31				
		Add contractor's profit @ 10% i.e. on Rs. 738.75				73.88				
		Add labour cess @ 1% i.e. on Rs. 812.63				8.13				
						820.76	820.76			820.76
II		Labour								
		Taking output	1	Each						
(i)		Wireman (1st Class)	Day	1/10	164.69	16.47				
(ii)		Brick layer (2nd Class)	Day	1/8	190.00	23.75				
(iii)		Mazdoor (Skilled)	Day	1/10	164.69	16.47				
		Total - II				56.69				
		Sundries such as uses of tools and other hidden charges etc.@1% on Rs.56.69				0.57				
		Add contractor's profit @ 21.5% i.e. on Rs. 57.26				12.31				
		Add labour cess @ 1% i.e. on Rs. 69.57				0.70				
		Labour for	1	Each		70.27				

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
(ii)		Wiring light point in PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq. mm, 1100volts grade.								
		Unit :-	1	Each						
I		Materials								
(i)		HDPE electrical conduit pipe 20mm dia. (ISI marked)		Metre	5.00	48.49	242.45			
(ii)		25mm thick cement plaster 1:6 in two coats work (CSR Item No. 15.35 Rs.109.22-56.22)		Sq.m	0.20	54.00	10.80			
(iii)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq.mm, 1100volts grade		Metre	12.50	9.64	120.50			
(iv)		Steel hook (for hold the pipe in the wall)		Each	5.00	3.38	16.90			
(v)		HDPE pipe bend 20mm dia.		Each	1.00	24.97	24.97			
(vi)		Cast iron circular inspection box 20mm dia. (3" deep)		Each	1.00	25.59	25.59			
(vii)		Powder coated concealed metal box with brass lugs one module or two module		Each	1.00	31.65	31.65			
(viii)		Brown bakelite white glazed backside painted sheet 3mm thick		Sq. inch	16.00	0.25	4.00			
(ix)		Single pole 6amp. switch flush piano type		Each	1.00	13.14	13.14			
(x)		CPL Screw 40mm long		Each	2.00	2.00	4.00			
		Total - I					494.00			
		Sundries such as carriage of material and other hidden charges etc.@1% on Rs.494					4.94			
		Add contractor's profit @ 10% i.e. on Rs. 498.94					49.89			
		Add labour cess @ 1% i.e. on Rs. 548.83					5.49			
							554.32			554.32
II		Labour								
		Taking output	1	Each						
(i)		Wireman (1st Class)		Day	1/12	164.69	13.72			
(ii)		Brick layer (2nd Class)		Day	1/10	190.00	19.00			
(iii)		Mazdoor (Skilled)		Day	1/12	164.69	13.72			
		Total - II					46.44			
		Sundries such as uses of tools and other hidden charges etc.@1% on Rs.46.44					0.46			
		Add contractor's profit @ 21.5% i.e. on Rs. 46.9					10.08			
		Add labour cess @ 1% i.e. on Rs. 56.98					0.57			
		Labour for	1	Each			57.55			
		Labour for	1	Each			57.55		57.55	
		Cost for	1	Each						
							611.87			
		Add 10% for sub mountainous region								5.76

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
		Labour for	1	Each						63.31
		Cost for	1	Each						617.63
(iii)		Wiring call-bell point in PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq. mm, 1100volts grade with bell push and electronic buzzer 230 volts AC (including the cost of bell push, electronic buzzer & powder coated concealed metal box for electronic buzzer).								
		Unit :-	1	Each						
I		Materials								
(i)		HDPE electrical conduit pipe 20mm dia. (ISI marked)		Metre	5.00	48.49	242.45			
(ii)		25mm thick cement plaster 1:6 in two coats work (CSR Item No. 15.35 Rs.109.22-56.22)		Sq.m	0.20	54.00	10.80			
(iii)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq.mm, 1100volts grade		Metre	12.50	9.64	120.50			
(iv)		Steel hook (for hold the pipe in the wall)		Each	5.00	3.38	16.90			
(v)		HDPE pipe bend 20mm dia.		Each	1.00	24.97	24.97			
(vi)		Cast iron circular inspection box 20mm dia. (1½" deep surface type)		Each	1.00	19.91	19.91			
(vii)		Powder coated concealed metal box with brass lugs one module or two module		Each	2.00	31.65	63.30			
(viii)		Single pole 6amp. bell push		Each	1.00	16.72	16.72			
(ix)		Brown bakelite white glazed backside painted sheet 3mm thick		Sq. inch	32.00	0.25	8.00			
(x)		Electronic buzzer 230 volts AC		Each	1.00	33.44	33.44			
(xii)		CPL Screw 40mm long		Each	4.00	2.00	8.00			
		Total - I					564.99			
		Sundries such as carriage of material and other hidden charges etc.@1% on Rs.564.99					5.65			
		Add contractor's profit @ 10% i.e. on Rs. 570.64					57.06			
		Add labour cess @ 1% i.e. on Rs. 627.7					6.28			
							633.98		633.98	633.98
II		Labour								
		Taking output	1	Each						
(i)		Wireman (1st Class)		Day	1/12	164.69	13.72			
(ii)		Brick layer (2nd Class)		Day	1/10	190.00	19.00			
(iii)		Mazdoor (Skilled)		Day	1/12	164.69	13.72			
		Total - II					46.44			
		Sundries such as uses of tools and other hidden charges etc.@1% on Rs.46.44					0.46			
		Add contractor's profit @ 21.5% i.e. on Rs. 46.9					10.08			
		Add labour cess @ 1% i.e. on Rs. 56.98					0.57			

[illegible]

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
(iv)		Wiring 3 pin 6 Amp. wall socket (Shuttered) point in PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq. mm, 1100volts grade complete with bonding to existing earth with PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1 sq. mm, 1100volts grade.								
		Unit :- 1 Each								
I		Materials								
(i)		HDPE electrical conduit pipe 20mm dia. (ISI marked)	Metre	2.50	48.49	121.23				
(ii)		25mm thick cement plaster 1:6 in two coats work (CSR Item No. 15.35 Rs.109.22-56.22)	Sq.m	0.10	54.00	5.40				
(iii)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq.mm, 1100volts grade	Metre	6.24	9.64	60.15				
(iv)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1 sq.mm, 1100volts grade	Metre	3.12	6.51	20.31				
(v)		Steel hook (for hold the pipe in the wall)	Each	3.00	3.38	10.14				
(vi)		HDPE pipe bend 20mm dia.	Each	1.00	24.97	24.97				
(vii)		Cast iron circular inspection box 20mm dia. (1½" deep surface type)	Each	1.00	19.91	19.91				
(viii)		Powder coated concealed metal box with brass lugs four module	Each	1.00	42.26	42.26				
(ix)		Brown bakelite white glazed backside painted sheet 3mm thick	Sq. inch	20.00	0.25	5.00				
(x)		Single pole 6amp. switch flush piano type	Each	1.00	13.14	13.14				
(xi)		3pin 6amp. wall socket flush piano type	Each	1.00	18.97	18.97				
(xii)		CPL Screw 40mm long	Each	2.00	2.00	4.00				
		Total - I				345.48				
		Sundries such as carriage of material and other hidden charges etc.@1% on Rs.345.48				3.45				
		Add contractor's profit @ 10% i.e. on Rs. 348.93				34.89				
		Add labour cess @ 1% i.e. on Rs. 383.82				3.84				
						387.66	387.66			387.66
II		Labour								
		Taking output 1 Each								
(i)		Wireman (1st Class)	Day	1/16	164.69	10.29				
(ii)		Brick layer (2nd Class)	Day	1/10	190.00	19.00				
(iii)		Mazdoor (Skilled)	Day	1/16	164.69	10.29				
		Total - II				39.58				
		Sundries such as uses of tools and other hidden charges etc.@1% on Rs.39.58				0.40				
		Add contractor's profit @ 21.5% i.e. on Rs. 39.98				8.60				
		Add labour cess @ 1% i.e. on Rs. 48.58				0.49				

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
(v)		Wiring 3 Pin 6 Amp. Plug control comprising wall socket (shuttered) and switch including bonding to existing earth with PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1 sq. mm, 1100volts grade complete.								
		Unit :-	1	Each						
I		Materials								
(i)		HDPE electrical conduit pipe 20mm dia. (ISI marked)	Metre	0.45	48.49	21.82				
(ii)		25mm thick cement plaster 1:6 in two coats work (CSR Item No. 15.35 Rs.109.22-56.22)	Sq.m	0.05	54.00	2.70				
(iii)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq.mm, 1100volts grade	Metre	1.80	9.64	17.35				
(iv)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1 sq.mm, 1100volts grade	Metre	0.90	6.51	5.86				
(v)		Powder coated concealed metal box with brass lugs three module	Each	1.00	36.93	36.93				
(vi)		Brown bakelite white glazed backside painted sheet 3mm thick	Sq. inch	20.00	0.25	5.00				
(vii)		Single pole 6amp. switch flush piano type	Each	1.00	13.14	13.14				
(viii)		3pin 6amp. wall socket flush piano type	Each	1.00	18.97	18.97				
(ix)		CPL Screw 40mm long	Each	2.00	2.00	4.00				
		Total - I				125.77				
		Sundries such as carriage of material and other hidden charges etc.@1% on Rs.125.77				1.26				
		Add contractor's profit @ 10% i.e. on Rs. 127.03				12.70				
		Add labour cess @ 1% i.e. on Rs. 139.73				1.40				
						141.13	141.13			141.13
II		Labour								
		Taking output	1	Each						
(i)		Wireman (1st Class)	Day	1/20	164.69	8.23				
(ii)		Brick layer (2nd Class)	Day	1/20	190.00	9.50				
(iii)		Mazdoor (Skilled)	Day	1/20	164.69	8.23				
		Total - II				25.96				
		Sundries such as uses of tools and other hidden charges etc.@1% on Rs.25.96				0.26				
		Add contractor's profit @ 21.5% i.e. on Rs. 26.22				5.64				
		Add labour cess @ 1% i.e. on Rs. 31.86				0.32				
		Labour for	1	Each		32.18				
		Labour for	1	Each		32.18	32.18		32.18	
		Cost for	1	Each			173.31			
		Add 10% for sub mountainous region								3.22
		Labour for	1	Each						35.40

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
		Cost for 1 Each								176.53
(vi)		Wiring 3 pin 16/20 amp. power plug control (shuttered) and switch.								
		Unit :- 1 Each								
I		Materials								
(i)		25mm thick cement plaster 1:6 in two coats work (CSR Item No. 15.35 Rs.109.22-56.22)	Sq.m	0.05	54.00	2.70				
(ii)		Powder coated concealed metal box with brass lugs twelve module	Each	1.00	86.51	86.51				
(iii)		Brown bakelite white glazed backside painted sheet 3mm thick	Sq. inch	63.00	0.25	15.75				
(iv)		Single pole 16amp. switch flush piano type	Each	1.00	39.79	39.79				
(v)		3pin 16amp. wall socket flush piano type	Each	1.00	48.57	48.57				
(vi)		CPL Screw 40mm long	Each	4.00	2.00	8.00				
		Total - I				201.32				
		Sundries such as carriage of material and other hidden charges etc.@1% on Rs.201.32				2.01				
		Add contractor's profit @ 10% i.e. on Rs. 203.33				20.33				
		Add labour cess @ 1% i.e. on Rs. 223.66				2.24				
						225.90	225.90			225.90
II		Labour								
		Taking output 1 Each								
(i)		Wireman (1st Class)	Day	1/16	164.69	10.29				
(ii)		Brick layer (2nd Class)	Day	1/10	190.00	19.00				
(iii)		Mazdoor (Skilled)	Day	1/20	164.69	8.23				
		Total - II				37.52				
		Sundries such as uses of tools and other hidden charges etc.@1% on Rs.37.52				0.38				
		Add contractor's profit @ 21.5% i.e. on Rs. 37.9				8.15				
		Add labour cess @ 1% i.e. on Rs. 46.05				0.46				
		Labour for 1 Each				46.51				
		Labour for 1 Each				46.51	46.51		46.51	
		Cost for 1 Each					272.41			
		Add 10% for sub mountainous region								4.65
		Labour for 1 Each								51.16
		Cost for 1 Each								277.06

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
(vii)		Wiring light point in PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq. mm, 1100volts grade complete without control switch.								
		Unit :-	1	Each						
I		Materials								
(i)		HDPE electrical conduit pipe 20mm dia. (ISI marked)	Metre	2.50	48.49	121.23				
(ii)		25mm thick cement plaster 1:6 in two coats work (CSR Item No. 15.35 Rs.109.22-56.22)	Sq.m	0.08	54.00	4.32				
(iii)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq.mm, 1100volts grade	Metre	5.00	9.64	48.20				
(iv)		Steel hook (for hold the pipe in the wall)	Each	3.00	3.38	10.14				
(v)		HDPE pipe bend 20mm dia.	Each	1/2	24.97	12.49				
(vi)		Cast iron circular inspection box 20mm dia. (3" deep)	Each	1.00	25.59	25.59				
		Total - I				221.97				
		Sundries such as carriage of material and other hidden charges etc.@1% on Rs.221.97				2.22				
		Add contractor's profit @ 10% i.e. on Rs. 224.19				22.42				
		Add labour cess @ 1% i.e. on Rs. 246.61				2.47				
						249.08	249.08			249.08
II		Labour								
		Taking output	1	Each						
(i)		Wireman (1st Class)	Day	1/20	164.69	8.23				
(ii)		Brick layer (2nd Class)	Day	1/20	190.00	9.50				
(iii)		Mazdoor (Skilled)	Day	1/20	164.69	8.23				
		Total - II				25.96				
		Sundries such as uses of tools and other hidden charges etc.@1% on Rs.25.96				0.26				
		Add contractor's profit @ 21.5% i.e. on Rs. 26.22				5.64				
		Add labour cess @ 1% i.e. on Rs. 31.86				0.32				
		Labour for	1	Each		32.18				
		Labour for	1	Each		32.18	32.18		32.18	
		Cost for	1	Each			281.26			
		Add 10% for sub mountainous region								3.22
		Labour for	1	Each						35.40
		Cost for	1	Each						284.48

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
(viii)		Wiring light point in PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq. mm, 1100volts grade complete with double control switches.								
		Unit :-	1	Each						
I		Materials								
(i)		HDPE electrical conduit pipe 20mm dia. (ISI marked)	Metre	7.00	48.49	339.43				
(ii)		25mm thick cement plaster 1:6 in two coats work (CSR Item No. 15.35 Rs.109.22-56.22)	Sq.m	0.25	54.00	13.50				
(iii)		PVC insulated copper conductor single core FRLS cable (ISI marked) overall 1.5 sq.mm, 1100volts grade	Metre	17.60	9.64	169.66				
(iv)		Steel hook (for hold the pipe in the wall)	Each	7.00	3.38	23.66				
(v)		HDPE pipe bend 20mm dia.	Each	1.00	24.97	24.97				
(vi)		Cast iron circular inspection box 20mm dia. (3" deep)	Each	1.00	25.59	25.59				
(vii)		Cast iron circular inspection box 20mm dia. (1½" deep surface type)	Each	1.00	19.91	19.91				
(viii)		Powder coated concealed metal box with brass lugs one module or two module	Each	2.00	31.65	63.30				
(ix)		Brown bakelite white glazed backside painted sheet 3mm thick	Sq. inch	32.00	0.25	8.00				
(x)		Two way 6amp. switch flush piano type	Each	2.00	16.72	33.44				
(xi)		CPL Screw 40mm long	Each	4.00	2.00	8.00				
		Total - I				729.46				
		Sundries such as carriage of material and other hidden charges etc.@1% on Rs.729.46				7.29				
		Add contractor's profit @ 10% i.e. on Rs. 736.75				73.68				
		Add labour cess @ 1% i.e. on Rs. 810.43				8.10				
						818.53	818.53			818.53
II		Labour								
		Taking output	1	Each						
(i)		Wireman (1st Class)	Day	1/12	164.69	13.72				
(ii)		Brick layer (2nd Class)	Day	1/12	190.00	15.83				
(iii)		Mazdoor (Skilled)	Day	1/12	164.69	13.72				
		Total - II				43.27				
		Sundries such as uses of tools and other hidden charges etc.@1% on Rs.43.27				0.43				
		Add contractor's profit @ 21.5% i.e. on Rs. 43.7				9.40				
		Add labour cess @ 1% i.e. on Rs. 53.1				0.53				
		Labour for	1	Each		53.63				
		Labour for	1	Each		53.63	53.63		53.63	
		Cost for	1	Each			872.16			
		Add 10% for sub mountainous region								5.36

Sr. No.	Code No.	Description	Unit	Quantity	Plain			For Sub-Mountainous Region		
					Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)	Rate (In Rs.)	Cost (In Rs.)	Total (In Rs.)
1	2	3	4	5	6	7	8	9	10	11
		Labour for 1 Each								58.99
		Cost for 1 Each								877.52